CERAMIN®

FLOOR

CATALOGUE

01. WHAT IS CERAMIN?


CERAMIN is an unique, patented technology.

CERAMIN is the natural material that makes the respective end products, such as synthetic flooring, something special. **Healthy to live** with and carefree to use.
As the heart of robust, durable polymer products **without PVC**. As a natural, pollutant-free material for long-lasting health. As the only market-ready alternative „Made in Germany" that already makes, for example, 100 % recyclable polymer floors and does not burden the environment and the future of our children.
The floor boards are dimensionally stable, robust, 100% waterproof, UV-resistant, easy to clean and simple and safe to install thanks to the quick installation systems.



FUTURE. NOW.

- 100% waterproof material
- PVC and pollutant free
- 100% recyclable
- made with recycled materials
- no smell
- kids and pets friendly
- acoustic comfort
- healthy for living
- robust
- durable
- UV-resistant
- floor heating friendly
- quick installation
- warm when touched





RECYCLING STRATEGY

Produced from recycled material

- For CERAMIN-based polymer floors, the recycled share of the total product is at least 25%
- The PP recyclates take up minimum 65% of the polymer share
- Through the use in CERAMIN, there is a so-called upcycling of the recycled material into a high-quality product with a long life

100% recyclable

- The independent network for the plastics recycling plastship GmbH has tested CERAMIN for its recyclability and certifies it as a very recycable
- CLASSEN actively participates in the circular economy / Joint Venture Hündgen (HC Plastic)
- CERAMIN products from CLASSEN meet the requirements of the label of the Eco Institute and the environmental seal “Blauer Engel” of the German Federal Government, which is awarded only to wall and floor coverings without PVC.


www.blauer-engel.de/uz120

ÉMISSIONS DANS L'AIR INTÉRIEUR A+ A+ A B C

ECO INSTITUT TESTED PRODUCT ID 0816-33664-002

RECY PP 25%

Lifecycle of CERAMIN



Our strategy: **Today’s components are tomorrow’s raw materials**

Polypropylene instead of PVC

A more sustainable material for durable floor and wall coverings

- No harm to health
- No smell, no toxicity to human body
- 100% recycable
- 25% lighter than PVC flooring.


CERAMIN



40% Polypropylen (PP) mostly Recyclate

60% Mineral filler (100 % naturally)

PVC



10 - 20% Plasticisers & stabilisers

10 - 25% Polyvinyl chloride (PVC) 43 % Carbon and hydrogen 57 % Chlorine

60 - 70% Mineral filler (100 % naturally)

08.

GREEN VINYL

1290 x 173 x 4 mm / AC4

AC3 AC4
ABRASION CLASS

NK31 NK32
USAGE CLASS

15Y 20Y
GUARANTEE

3,8mm 4mm
THICKNESS

4-SIDED BEVEL

STRUCTURED SURFACE

STONE SURFACE

EASYLOC



Green Vinyl Eiche Rustic



Green Vinyl Risseiche Dunkel

STOCKS



Pinie Weiss 48336
1290 x 173 x 4 mm / str. wood



Traubeneiche Geho. 48337
1290 x 173 x 4 mm / str. wood



Risseiche Dunkel 48338
1290 x 173 x 4 mm / str. wood

STOCKS



Steineiche 48341
1290 x 173 x 4 mm / str. wood



Eiche Gek. Gr. 49780
1290 x 173 x 4 mm / str. wood

STOCKS



Risseiche Nat. 49781
1290 x 173 x 4 mm / str. wood

STOCKS



Eiche Creme 49782
1290 x 173 x 4 mm / str. wood




Eiche Rustic 52044
1290 x 173 x 4 mm / str. wood




Eiche Alpin 52045
1290 x 173 x 4 mm / str. wood

11. QUICK AND EASY



Thanks to locking systems, CERAMIN is guaranteed to be easy to position during installation. The four-sided micro-bevel ensures a perfect finish on floor.


OUR INSTALLATION SYSTEMS



megaloc


- Push2Loc-Profile
- patented CLASSEN solution
- from 4.5 mm thickness
- Easier and faster installation

SCAN & SEE
how easy it is to lay a CERAMIN floor




easyloc

- Angle-Angle Profile
- patented CLASSEN solution
- under 4.5 mm



Base

You can install the CERAMIN with use underlay by clicking on it or gluing it to the screed floor.



Underfloor heating

Friendly to warm water and electric underfloor heating systems. The surface temperature must not exceed 29°C.



Easy cut

Need to cut the plank? Use a cutter knife! Need to make a hole? Use a compass! Quickly and without dust.

100% WATERPROOF



The 100% waterproof core is a reliable and proven protection against the effects of water, is waterproof and cannot swell. Thus, products with CERAMIN are ideally suited for daily wear, wet cleaning and even for installation in wet rooms.

OUR SURFACE STRUCTURE

SCAN & SEE
our shorts video




Synchronized wood texture DLE

SYNCHRO



Stone texture MINIPEARL

STONE



Wood texture COUNTRY 32

WOOD



Supermatt wood texture

MATT

@ClassenFloorPoland
@ClassenFloorHungary
@ClassenFloorRomania
@ClassenFloorUkraine
@ClassenFloorRussia
@Classen.Group

classen_floor
classen_group

ClassenFloor
Instructions and films

Classen Cloud
Download app with our floors

Classen Competence Centre
Showroom and advice for our customers

www.classenfloor.com
www.ceramin.de

Classen Floor Systems Sp. z o.o.
ul. Wyzwolenia
44-292 Zwonowice, Poland

+48 (32) 429 20 00
biuro@classenfloor.pl

CLASSEN Group
Werner-von-Siemens-Str. 18-20
56759 Kaisersesch, Germany

+49 2653 9800
info@classen.de

2023.07
The catalogue does not constitute an offer within the meaning of commercial law. Classen Floor Systems Sp z o.o. reserves the right to change and improve the products presented in this publication without prior notice. Information contained in this catalogue is correct at the time of publishing.

Colours presented in this catalogue may differ from the products that are on sale.