



BerryAlloc® offers a wide array of interior solutions for residential and commercial projects. The extensive BerryAlloc® product range has a lifetime warranty, is durable and meets current aesthetic and technical requirements: quality, variety of finishes, durability, longevity and ease of installation. BerryAlloc® is part of the Beaulieu International Group.



**BERRY**  **ALLOC**

**HOMAG**



# Cadenza Collection



# Cadenza

ALLEGRO LIGHT - IN STOCK



## Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1



# Cadenza

LEGATO LIGHT - IN STOCK



## Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

# Cadenza

ALLEGRO NATURAL – IN STOCK



## Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

# Cadenza

LEGATO LIGHT NATURAL - IN STOCK



## Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

# Cadenza

ALLEGRO LIGHT GREY – IN STOCK



## Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1



# Cadenza

ALLEGRO BROWN – IN STOCK



## Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1



# Cadenza

LEGATO DARK BROWN – IN STOCK



## Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

# Trendline Pro Collection





# Trendline Pro

VERDI OAK – IN STOCK



## Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1



# Trendline Pro

SICILY OAK – IN STOCK



## Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

# Trendline Pro

LIVERPOOL OAK – IN STOCK



## Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

# Trendline Pro

VIVALDI OAK – IN STOCK



## Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1



# Trendline Pro

LOTUS OAK – IN STOCK



## Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

# Trendline Pro

MAGNOLIA OAK – IN STOCK



## Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

# Trendline Pro

POPPY OAK – IN STOCK



## Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1



# Homag Collection



# Homag

HOMAG 1725 – IN STOCK



## Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

# Homag AC4

HOMAG 6220-26 – IN STOCK



## Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1



# Homag AC4

HOMAG 6635 – IN STOCK



## Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

# Homag AC4

HOMAG 303 – IN STOCK




## Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

# Homag AC4

HOMAG 6359 – IN STOCK



## Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1



# Homag AC4

HOMAG 6338 – IN STOCK



## Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

# Homag AC4

HOMAG 6339 – IN STOCK



## Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1