

BEAU FLOR®

we decorate your floor



Artex

SPECIFICATIONS

Total Thickness 2.50 mm

Wear Layer 0.20 mm

Total Weight 1330 g/m²

Roll Width 4 m

Roll Length +/- 25 m

Slip Resistance R10

Classification 22 Domestic

Artex



Cameo 060S



Prime Oak 949D




Prime Oak 909D



Yorvik 940M





Yorvik 970D



Prism 904M




Artex



Prism 049L



Blacktex



Specifications

Total Thickness 2.80 mm

Wear Layer 0.40 mm

Total Weight 1950 g/m²

Roll Width 4 m

Roll Length +/- 25 m

Slip Resistance R10

Classification
23 Domestic
33 Commercial
41 Industrial

Blacktex



Texas Oak 162L



Columbian Oak 139L



Fumed Oak 169M



Columbian Oak 636L



Columbian Oak 939L



Columbian Oak 973M



Blacktex



Fumed Oak 966M




Texas Oak 979D



Texas Oak 906M




Blacktex Units



Specifications

Total Thickness	2.80 mm
Wear Layer	0.40 mm
Total Weight	1950 g/m ²
Roll Width	4 m
Roll Length	+/- 25 m
Slip Resistance	R10
Classification	23 Domestic 32 Commercial 41 Industrial

Blacktex Unis



Zinc 169L



Zinc 096L



Zinc 976M



Zinc 960D



Safira 990D



Pamplona 970M



Blacktex Unis




Zinc 990D



Expoline

PLUX



Specifications

Total Thickness 2.00 mm

Wear Layer 0.40 mm

Total Weight 1600 g/m²

Roll Width 4 m

Roll Length +/- 30 m

Slip Resistance R10

Classification
23 Domestic
32 Commercial
41 Industrial

Expoline



Fumed Oak 196M



Beech Plank 062S



Golden Oak 060L




Golden Oak 036M



Hickory 636D



Novo



Lime Oak 169M

Specifications	
Total Thickness	2.40 mm
Wear Layer	0.20 mm
Total Weight	1350 g/m ²
Roll Width	4 m
Roll Length	+/- 30 m
Slip Resistance	R10
Classification	22 Domestic

Novo



Aveo 090S



Vero 796L



Lime Oak 316M



Aveo 616M



Lime Oak 169M



Aged Oak 967M



Novo



Aged Oak 967M

Novo



Venice Wood 196L




Novo



Vero 796L

Rimini



Specifications

Total Thickness	2.30 mm
Wear Layer	0.15 mm
Total Weight	1330 g/m ²
Roll Width	4 m
Roll Length	+/- 25 m
Slip Resistance	R10
Classification	21 Domestic

Aged Oak 271M

Rimini



Aged Oak 271M



Falco 7359



Falco 3959



Vero 3973



Dalton 9126



Rimini



Celina Tile 626D



Celina Tile 990D



Smartex



Holly Oak 136M

Specifications

Total Thickness	2.30 mm
Wear Layer	0.15 mm
Total Weight	1330 g/m ²
Roll Width	4 m
Roll Length	+/- 25 m
Slip Resistance	R10
Classification	21 Domestic

Smartex



Willow Oak 163



Holly Oak 136M




Pure Oak 190L



Pure Oak 160M



Smartex



Willow Oak 636M



Golden Oak 361M

