



Brownie



Brownie



Brownie 01



Brownie 02



Brownie 05




Brownie 07


Specifications

Manufacturing process:	Multilevel Loop
Pile Composition:	100% PP
Backing:	C-Bac Acoustic
Pile Weight:	595 g/m ²
Pile Height:	4.00 mm
Total Height:	7.00 mm
Use:	Light Commercial
Size:	500 x 500 mm
Fire Class:	ASTM E 648-Class I / GB8 624-2012
Impact sound reduction:	26 dB
Installation:	Monolithic / Quarter turn / Brick / Ashlar

Brownie



Brownie 09



Brownie 10

Specifications

Manufacturing process:	Multilevel Loop
Pile Composition:	100% PP
Backing:	C-Bac Acoustic
Pile Weight:	595 g/m ²
Pile Height:	4.00 mm
Total Height:	7.00 mm
Use:	Light Commercial
Size:	500 x 500 mm
Fire Class:	ASTM E 648-Class I / GB8 624-2012
Impact sound reduction:	26 dB
Installation:	Monolithic / Quarter turn / Brick / Ashlar

Brownie



Specifications

Manufacturing process:	Multilevel Loop
Pile Composition:	100% PP
Backing:	C-Bac Acoustic
Pile Weight:	595 g/m ²
Pile Height:	4.00 mm
Total Height:	7.00 mm
Use:	Light Commercial
Size:	500 x 500 mm
Fire Class:	ASTM E 648-Class I / GB8 624-2012
Impact sound reduction:	26 dB
Installation:	Monolithic / Quarter turn / Brick / Ashlar

