




Atlantic blue 182




Sapphire blue 81



Ocean blue 82



Elephant 75



Cloud grey 73




Ivory 69



Berry 20



Charcoal 77





Sand 71



Husk 274



Stone 74



Mandarin 96



Ochre 50




Forest Green 240



Pastel pink 13



Deep Black 78





## SPECIFICATION

<b>Tuft gauge</b>	1 / 10 cut pile		ISO 2424
<b>Pile composition</b>	100% PES		ISO 2424
<b>Primary backing</b>	Woven		ISO 2424
<b>Secondary backing</b>	Duo backing		ISO 2424
<b>Width</b>	400 cm	± 1%	EN 984
<b>Pile weight</b>	2200 gr / m <sup>2</sup>		ISO 8543
<b>Total weight</b>	3000 gr / m <sup>2</sup>	± 15%	ISO 8543
<b>Pile height</b>	13,5 mm		ISO 1766
<b>Total height</b>	15,5 mm	± 2 mm	ISO 1765
<b>Number of knots</b>	213300 / m <sup>2</sup>	-7.5% +10%	ISO 1763
<b>Fire classification</b>	Cfl-S1		EN 13501-1
<b>Use area</b>	Heavy domestic use (23)		EN 1307
<b>Light fastness</b>	≥ 5		105-B02
<b>Wearability</b>	≥ 4		105-X12
<b>Water fastness</b>	≥ 4		105-E01
<b>TOG rating</b>	1,60		ISO 8302

