


Children's Carpets



Playtime 95




SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m2	300
Total thickness in mm	6,5
Pile height in mm	3
Gauge	1/10
Tufts per sqm	155.000
Total weight in g/m2	1.200
Thermal resistance in m2C°/W	0,115
Sound absorption	DL _w = 23 dB
Grading	D _n -s1 (49/042)
Repeat	L/H: 95 cm B/W: 200 cm

PERFORMANCE

Domestic use, heavy
Living room, Dining room
Entrance, Hallway



Butterfly 57




SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m2	300
Total thickness in mm	6,5
Pile height in mm	3
Gauge	1/10
Tufts per sqm	155.000
Total weight in g/m2	1.200
Thermal resistance in m2C°/W	0,115
Sound absorption	DL _w = 23 dB
Grading	D _h -s1 (49/042)
Repeat	L/H: 95 cm B/W: 200 cm

PERFORMANCE

Domestic use, heavy
Living room, Dining room
Entrance, Hallway



Little Goliath 90




SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m2	340
Total thickness in mm	8,5
Pile height in mm	5
Gauge	1/10
Tufts per sqm	197.500
Total weight in g/m2	1.220
Thermal resistance in m2C°/W	0,120
Sound absorption	DL _w = 25 dB
Grading	E _{fl}
Repeat	L/H: 95 cm B/W: 100 cm

PERFORMANCE

Domestic use, heavy
Living room, Dining room
Entrance, Hallway



Puzzle



67 Pink 4 m



77 Blue 4 m




84 Tan 4 m

SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m2	300
Total thickness in mm	6,5
Pile height in mm	3
Gauge	1/10
Tufts per sqm	155.000
Total weight in g/m2	1.200
Thermal resistance in m2C°/W	0,115
Sound absorption	DL _w = 23 dB
Grading	D _{fl} -s1 (49/042)
Repeat	L/H: 95 cm B/W: 100 cm

PERFORMANCE

Domestic use, heavy, Living room, Dining room, Entrance, Hallway



Alphabet



60 4 m



77 Blue 4 m



84 Tan 4 m

SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltback
Pile weight g/m ²	6,5
Total thickness in mm	3
Pile height in mm	1/10
Gauge	
Tufts per sqm	155.000
Total weight in g/m ²	1.200
Thermal resistance in m ² C°/W	0,115
Sound absorption	DL _w = 23 dB
Grading	D _{fl} -s1 (49/042)
Repeat	L/H: 95 cm B/W: 100 cm

PERFORMANCE

Domestic use, heavy, Living room, Dining room, Entrance, Hallway



Princess Tales



SPECIFICATION

Pile	100 % PA
Backing	Comfortex Plus Feltbac
Pile weight g/m2	300
Total thickness in mm	6,5
Pile height in mm	3
Gauge	1/10
Tufts per sqm	155.000
Total weight in g/m2	1.200
Thermal resistance in m2C°/W	0,115
Sound absorption	DL _w = 23 dB
Grading	D _{ff} -s1 (49/042)
Repeat	L/H: 95 cm B/W: 100 cm

PERFORMANCE

Domestic use, heavy
Living room, Dining room
Entrance, Hallway

