





Epoch Laminate

1215mm x 197mm x 8mm




Distributed in EU by
Laminate Park GmbH & Co KG
Werktstr.
66265 Heusweiler/Eiweiler
GERMANY

EN 13329
Infinite 832




Lumbermill Oak

ZE-XY01




Cherry 02 Strips

ZE-XY02



Walnut 02 Strips

ZE-XY03



Oak White

ZE-XY06




Vanila Oak 02 Strips

ZE-XY08



Chestnut 03 Strips

ZE-XY09




Walnut 03 Strips

XY10




Oak 03 Strips

XY11




Caramel Oak 03 Strips

XY12




Oak Grey 03 Strips

XY13



Smoked Oak 03 Strips

XY14



Light Walnut 03 Strips

XY15



Cherry 01 Strips

XY16



TECHNICAL SPECIFICATION

Technical Specification	Norm	Values
Structure Surface		Natural/TruWood
Structural Panel		HDF 850kg/m ³
Thickness		8mm
Installation Method		Click System
Plank Dimension		197mm x 1215mm
Total Quantity per Box (m ²)		1.915m ²
Weight per Box (kg)		13 kg
Class of Use	EN 13329	23/32
Wear Resistance	EN 13329	≥1500
Wear Class	EN 13329	AC2
Thickness Swelling	EN 13329	<12%
Impact Class	EN 13329	IC2
Staining Class	EN 438-2, 15	6 (GROUP 1 & 2)
Light Fastness	EN 438-2, 16	>6
Cigarette Burns	EN 438-2, 18	4
Castor Chair	EN 425	>2 N
Emission of Formaldehyde	EN 717-2	E1
Slip Resistance	EN 13893	Class DS
Fire Reaction	EN 13501-1	Cfl S1
Thermal Resistance	ISO 8302	.07 m ² k/w
Underfloor Heat		Suitable

