

allure[®]

RIGID CORE 5.2



RIGID CORE COLLECTION


FINE LINE OAK



A New Generation of Vinyl Surfaces:
Beauty, Style, Strength and Performance




RIGID CORE COLLECTION
FINE LINE OAK



Amber 05021



RIGID CORE COLLECTION
FINE LINE OAK



Sun Baked 050212

RIGID CORE COLLECTION
FINE LINE OAK

Snow Pack 050217

RIGID CORE COLLECTION
FINE LINE OAK

Novotel Gate Grey 05028





RIGID CORE COLLECTION
FINE LINE OAK

Castle Slate 050210

allure[®] RIGID CORE 5.2

FINE LINE OAK COLLECTION

CONSTRUCTION / CONSTRUCTION

TOTAL THICKNESS / ÉPAISSEUR TOTALE

WEAR LAYER / COUCHE D'USURE

UTILIZATION CLASS / CLASSE D'USAGE

EN 16511 - EN ISO 10582

COATING / PROTECTION

EMBOSSING / STRUCTURE

BEVELLED / BISEAUTÉ

PLANK SIZE / DIMENSIONS DE LA LAME

CARTON PACKING / EMBALLAGES EN CARTON

PALLET PACKING / BOÎTES PAR PALETTE

IMPACT SOUND REDUCTION / RÉDUCTION DU BRUIT D'IMPACT

EN ISO 717-2

CASTOR CHAIR RESISTANCE / ESSAI DE LA CHAISE À ROULETTES

EN ISO 4918 - EN 425

MICRO-SCRATCH RESISTANCE / RÉSISTANCE AUX MICRO-RAYURES

EN 16094

ELECTROSTATIC PERFORMANCE / POTENTIEL DE CHARGE ELECTROSTATIQUE

EN 1815

SLIP RESISTANCE / ANTIDÉPARANT

DIN 51130

WEAR RESISTANCE / RÉSISTANCE D'USURE

EN 660-2

RESIDUAL INDENTATION / POINÇONNEMENT RÉMANENT

EN ISO 24343-1

DIMENSIONAL STABILITY / STABILITÉ DIMENSIONNELLE

EN 434

FIRE RATING / CLASSIFICATION AU FEU

EN ISO 9239-1

FORMALDEHYDE EMISSION / EMISSION DE FORMALDEHYDE

EN 717-1

WARRANTY FOR DOMESTIC USE / PÉRIODE DE GARANTIE USAGE DOMESTIQUE

WARRANTY FOR COMMERCIAL USE / PÉRIODE DE GARANTIE USAGE COMMERCIAL

	RIGID CORE 5.2 FINE LINE OAK
	4.2 MM RIGID CORE + 1 MM IXPE
	5.2 MM
	0.55 MM
	CLASS 34
	URETHANE WITH CERAMIC BEAD (CB)
	NATURAL TIMBER
	YES
	220 x 1210 MM
	2.13 M ² 8 PLANKS
	60 PACKS / 860 KG / PALLET
	20 dB
	PASS
	MSR-A2 / MSR-B1
	< 2 KV
	R10
	GROUP T
	PASS
	≤ 0.05%
	BFL-S1
	CLASS E1
	15 YEARS
	10 YEARS

