















Extra Rigid

Limestone-based core

SPC FLOORING

- 100% Waterproof
- Scratch & Stain Resistant
- Easy to Clean & Maintain
- Stable to Sunlight
- No Acclimation Required
- No Telegraphing
- Recyclable & Phthalate Free

CW-563



Specifications

Collection: SPC Pluto

Design: 1-Strip Timber Finish

Width: 225mm
Length: 1235mm

Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-1352



Specifications

Collection: SPC Pluto

Design: 1-Strip Timber Finish

Width: 225mm
Length: 1235mm

Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock

Bevel: 4-Sided Bevel
Finish: Timber Embossed

CW-1357



Specifications

Collection: SPC Pluto

Design: 1-Strip Timber Finish

Width: 225mm
Length: 1235mm

Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-1860



Specifications

Collection: SPC Pluto

Design: 1-Strip Timber Finish

Width: 225mm
Length: 1235mm

Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-1861



Specifications

Collection: SPC Pluto

Design: 1-Strip Timber Finish

Width: 225mm

Length: 1235mm


Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock

Bevel: 4-Sided Bevel

CW-1865



Specifications

Collection: SPC Pluto

Design: 1-Strip Timber Finish

Width: 225mm

Length: 1235mm


Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock

Bevel: 4-Sided Bevel

CW-2031



Specifications

Collection: SPC Pluto

Design: 1-Strip Timber Finish

Width: 225mm
Length: 1235mm

Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-2252



Specifications

Collection: SPC Pluto

Design: 1-Strip Timber Finish

Width: 225mm
Length: 1235mm

Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-2253



Specifications

Collection: SPC Pluto

Design: 1-Strip Timber Finish

Width: 225mm
Length: 1235mm

Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-210



Specifications

Collection: SPC Projects

Design: 1-Strip Timber Finish

Width: 175mm
Length: 1235mm

Thickness: 3mm

Wear Layer: 0.3mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-563



Specifications

Collection: SPC Projects

Design: 1-Strip Timber Finish

Width: 175mm
Length: 1235mm

Thickness: 3mm

Wear Layer: 0.3mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-1862



Specifications

Collection: SPC Projects

Design: 1-Strip Timber Finish

Width: 175mm
Length: 1235mm

Thickness: 3mm

Wear Layer: 0.3mm

Installation: Click Tight Lock

Bevel: 4-Sided Bevel

CW-2032



Specifications

Collection: SPC Projects

Design: 1-Strip Timber Finish

Width: 175mm
Length: 1235mm

Thickness: 3mm

Wear Layer: 0.3mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-2034



Specifications

Collection: SPC Projects

Design: 1-Strip Timber Finish

Width: 175mm

Length: 1235mm

Thickness: 3mm

Wear Layer: 0.3mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-2037



Specifications

Collection: SPC Projects

Design: 1-Strip Timber Finish

Width: 175mm
Length: 1235mm


Thickness: 3mm

Wear Layer: 0.3mm

Installation: Click Tight Lock

Bevel: 4-Sided Bevel

CW-1740



Specifications

Collection: SPC Taurus

Design: Tile

Width: 300mmLength: 600mmThickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

CW-1821



Specifications

Collection: SPC Taurus

Design: Tile

Width: 300mmLength: 600mmThickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel

LT-2461



Specifications

Collection: SPC Taurus

Design: Tile


Width: 300mmLength: 600mmThickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock

Bevel: 4-Sided Bevel

LT-2462



Specifications

Collection: SPC Taurus

Design: Tile

Width: 300mm

Length: 600mm

Thickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock

Bevel: 4-Sided Bevel

LT-2464



Specifications

Collection: SPC Taurus

Design: Tile

Width: 300mmLength: 600mmThickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock

Bevel: 4-Sided Bevel

CW-1820



Specifications

Collection: SPC Taurus

Design: Tile

Width: 300mmLength: 600mmThickness: 4mm

Wear Layer: 0.5mm

Installation: Click Tight Lock
Bevel: 4-Sided Bevel