

Homogeneous Vinyl

sphera® starT

20 x 2 m

creating better environments

FLOORING SYSTEMS

sphera® starT

A game changer for effective solutions

Sphera StarT homogeneous floor coverings add style to demanding areas with their modern color palette and non-directional pattern. Whether it is a hospital, a school or a public area, the collection offers an effective flooring solution thanks to its high PVC content, excellent durability and unique performance.

Sphera StarT's reinforced PUR coated surface treatment resists dirt and scratches, is easy to clean and maintain, ensuring hygienic floors. The collection is %100 phthalate free and helps you to create a healthy indoor environment with low VOC emissions.

6832 | white grey

Sphera StarT – A game changer for effective solutions

High product density and high pure virgin PVC content, ensuring excellent wear-resistance (T abrasion), low residual indentation (0.02 mm) and an easy to cut, cove and groove floor for quick installation (flexibility 7 mm mandrel).

A safe and hygienic solution with high dimensional stability (<0.25%, for less tension at seams), high seam strength (270N/50 mm) and no curling (up to 80°C). Particularly suitable for demanding areas such as hospitals, schools and public buildings.

Reinforced PUR surface is highly resistant against dirt and scratches. Outstanding resistance against the most commonly used chemicals in healthcare. Easy to maintain & clean with lower maintenance costs.

Environment-friendly, phthalate-free, very low VOC emissions, complies with strict European standards REACH compliant.


A timeless non-directional pattern, in a neutral & modern color palette.

Perfectly coordinated with other Forbo flooring products including other Sphera ranges and Marmoleum.


sphera® starT

non directional

2 mm




6706 | sand **Stock: 1520 m²**




6713 | beige **Stock: 360 m²**

6700 | ivory **Stock: 1760 m²**

6732 | white grey **Stock: 1000 m²**



6701 | light grey **Stock: 1238 m²**




6704 | mid grey **Stock: 600 m²**

sphera® starT


non directional

2 mm




6735 | light blue

Stock: 1118 m²




6736 | mid blue

Stock: 440 m²



6739 | sky

Stock: 427 m²



6781 | apricot

Stock: 460 m²

PHTHALATE FREE

Technical specifications

Sphera starT meets the requirements of ISO 10581

Surface finish		Reinforced PUR coating
Binder content	EN ISO 10581	Type 1
Collection size		30
Commercial use	EN ISO 10874	Class 34
Light industrial use	EN ISO 10874	Class 43
Roll width	EN ISO 24341	2.0 m
Roll length	EN ISO 24341	± 20 m
Total thickness	EN ISO 24346	2.0 mm
Total weight	EN ISO 23997	2800 g/m²
Dimensional stability	EN ISO 23999	≤ 0.4%
Residual indentation (typical value)	EN ISO 24343-1	~ 0.02 mm
Abrasion resistance	EN 660-2	Group T
Castor chair continuous use	ISO 4918	Pass
Colour fastness to light	EN ISO 105-B02	≥ 6
Flexibility	EN ISO 24344	Ø 7 mm
Chemical resistance	EN ISO 26987	Very good
Slip resistance (ramp test)	DIN 51130	R9
Bacteria resistance	EN ISO 846	Does not support growth
TVOC after 28 days	EN ISO 16000-6	A+

EN 14041
CE
0200307-DoP-011

Sphera starT meets the requirements of EN 14041

Fire resistance	EN 13501-1	B_{fl}-s1
Slip resistance	EN 13893	≥ 0.30
Body voltage	EN 1815	≤ 2 kV
Thermal conductivity	EN 12524	0.25 W/m·K

- All Forbo Flooring Systems' sales organisations worldwide have a certified Quality Management System in accordance with ISO 9001.
- All Forbo Flooring Systems' manufacturing operations have a certified Environmental Management System in accordance with ISO 14001.

All countries
Forbo Flooring B.V.
P.O. Box 13
1560 AA Krommenie
The Netherlands
Tel.: +31 75 647 74 77
Fax.: +31 75 647 77 01
question@forbo.com
www.forbo-flooring.com

Find us on

creating better environments

FLOORING SYSTEMS