

ICONIK 300

VINYL ROLLS



ICONIK 300


VINYL ROLLS



Antica / Grey 5208137



Castille / White 6761019



Concrete Grid / Charcoal 5208908



Concrete Grid / Cold Dark Grey 5208909



Concrete Grid / Cold Light Grey 5208910



Concrete Grid / Warm Dark Grey 5208915

ICONIK 300

VINYL ROLLS



Concrete Grid / Warm Light Grey 5208914




Meton / Anthracite 5208913



Meton / Beige 5208902



Meton / Grey Brown 5208903



Meton / Light Grey 5208911



Meton / Warm Grey 5208912

ICONIK 300

VINYL ROLLS



Terra GREY 5208900



Terra INVERSE 5208901



Concrete Grid / Cold Dark Grey 5208909

ICONIK 300

TECHNICAL DATA VINYL FLOORING 2020

Classification	Norm	Target Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	23/31 Domestic Heavy/ Commercial Moderate
Binder content	ISO 11638	Type I
Technical characteristics		
Total thickness	ISO 24346	8.0 mm
Wear layer thickness	ISO 24340	0,25 mm
Total weight	ISO 23997	1.840 g/m ²
Roll Width		4 m
Roll Length	EN ISO 24341	25 m
Performance for CE Marking		
Declaration of Performance #	EN 14041	0131-0002-DOP-2020-01
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893 DIN 51130	> 0,30 R 10
Electrostatic propensity	EN 1815	< 2 kV
Thermal resistance (in m ² K/W)	ISO 10456 / EN 12524-1	0,05
Formaldehyde emission	EN 717-1	E1
Technical Performance		
Impact sound reduction - ΔLw	EN ISO 717-2	20 dB
Residual indentation	ISO 24343-1	0.18 (best measured value)
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Colour fastness to light	ISO 105-B02	≥ 6
Dimensional stability	ISO 23999	± 0,20 %
Sustainability, Environment & Indoor Air Quality		
Recyclable		Yes
French VOC rating		A+
Phthalate content		Phthalate-free
TVOC emissions after 28 days	EN 16616	Gold (≤ 100 µg / m ³)
Product ID		
Residential warranty (in years)		10
Surface treatment		Extreme Protection

The above information is subject to modification for the benefit of further improvement (2020-01).

