

IMPRESSIONS 2021 PRES



NOVALIS®
INNOVATIVE FLOORING



Product Information: Saffron / MSR005
Red Chili / MSR009




Glacier

MSR001

Impression / 18" x 18" (458mm x 458mm)

36" x 36" (915mm x 915mm)




Shale

MSR002




Cool Beige

MSR003



Slate Green

MSR004



Saffron

MSR005




Sable

MSR006




Coffee

MSR007




Midnight

MSR008



Red Chili

MSR009




Deep Blue

MSR010




PRODUCT STRUCTURE



CHARACTERISTICS	TEST METHOD	IMPRESSION
Luxury Vinyl Tile	EN 649	Heterogeneous PVC
Lacquering PU		Semi-matte Particle Lacquer
Weight	EN430	ca.4315 g/m ²
Thickness	EN428	3.2 mm
Wear layer	EN429	0.55 mm
Classification	EN685	23, 33, 42
Fire Classification	EN 13501	Bfl-S1
Slipresistance	DIN 51130 EN 13893	R11 DS
Weargroup	EN649	T
Residual Indentation	EN443	<0.1 mm
Thermal Conductivity	DIN 52612	0.02 m ² k/w
Electrical Conductivity	EN 1081	app 10 ¹¹ Ohm
Castor Chair	EN 425	Yes, Type W
Floor Heating		Yes, max.27°
Colourfastness	ISO 105-B02	m>6 Grade





NOVALIS[®]
INNOVATIVE FLOORING