




LINEAR ART

Carpet Tile 50cm x 50cm




Quarter Turn Installation | Grigio Rosa 776




Brick Installation | Grigio Gren 774




Brick Installation | Grigio Chiaro 772




Quarter Turn Installation | Grigio Blu 775




Brick Installation | Grigio Scuro 777



Herringbone Installation | Grigio Gialla 778 | 100 X 25 cm | MOQ - 600 SQM



Quarter Turn Installation | Grigio Rosa 776 | 100 X 25 cm | MOQ - 600 SQM



Ashlar Installation | Grigio Scuro 777 & Grigio Blu 775 | 100 x 25 cm | MOQ - 600 SQM



Herringbone Installation | Grigio Scuro 777 | 100 x 25 cm | MOQ - 600 SQM

LINEAR ART

Carpet Tile 50cm x 50cm



SPECIFICATIONS

Product Type	SCROLL LOOP
Fiber Composition	100% Olefin
Dye Method	Solution Dyed
Pile Weight	700 g/m
Number of Tufts	177300/m ²
Machine Gauge	1/10"
Primary Backing	Non-Woven
Secondary Backing	StableShield-100% Vinyl (45% Pre-consumer Post-Industrial recycled content)
Tile Size	50 cm x 50 cm
Pile Height	5.0 mm
Total Tile Height	8.0 mm
Recommended Installation	Quarter Turn or Brick

Performance Specifications

VOC (Green Label Plus)	ASTM D 5116-97	<0.5 mg/m ² /hour
Flammability (Pill Test)	ASTM D-2859//FF 1-70//16CFR 1630	Pass 8/8
Reaction to Fire	EN ISO 9239-1	Dfl - s1
Static Propensity	ISO 6356	0.2 kV
Color Fastness	ISO 105 B02:2014	4/5 on Grey Scale
Thermal Resistance	DIN 52612	.04m ² K/W
Impact Sound Insulation	ISO 140-8	ΔL _w 23dB
Sound Absorption Value	DIN EN ISO 11654	α _w : 0.15(H)
Dimensional Stability	ISO 3018:1974	< 0.20%

The above Information is subject to modification for the benefit of further improvement.

- Shading or Pile reversal is an inherent attribute of cut pile carpets and not a manufacturing defect
- Color may slightly vary from one dye lot to another dye lot
- Total weight of the product can have a normal variation of ± 5%
- We reserve the right to amend the above specification without prior notice with changes in raw material supplies

