

10 YEAR LIMITED WARRANTY

The warranty covers the product for wear, stain, fade and anti-static for the period quoted when fitted in accordance with the recommended industry guidelines for the installation and product usage. For further information on suitability please contact the company.

Carpet tiles installed on stairs are not covered by this warranty. Also this warranty is not binding against cuts, tears, burns, crushing, stains, odour, pulls, matting, soiling, damage due to floor installation, improper use. Damage due to non - protection, by walk - off mats or castor chair pads and cleaning by corrosive chemicals is also not covered by this warranty.

TECHNICAL SPECIFICATION

Manufacturing Process:	Tufted
Construction & Fiber:	High - Low Loop / PA
Gauge:	1/12"
Pile Height:	3 mm / 4.5 mm
Total Height:	5.5 mm
Pile Weight:	550 gsm
Total Weight:	4500 gsm
Backing:	PVC reinforced by glass fiber ± 5% tolerance

Product specifications are derived from averages resulting from normal manufacturing tolerances in yarn, fiber, temperature, humidity and colour and may vary within normal industry tolerances. Performance is not affected by such variances.

As in all quality carpet tiles, colours are subject to dye lot variation. Shading is a result of pile direction, this is an inherent characteristic & therefore does not constitute a manufacturing defect. Backing or other materials may be changed without prior notice when shortages occur or when technological advancements provide for improvement of product performance.



Sound
Insulation



Heat
Insulation



Anti-static



Colorfast



Wearproof



Anti-
flammability



Matrix


Carpet Tiles

Matrix





*911



*931



*921



*922


* denotes stocking range

denotes available against order

Matrix



* 941



#942

* denotes stocking range



#943

denotes available against order





