



evercare™
New collection

Mipolam® Ambiance Ultra



Gerflor®
by
ZAYAANCO®

Mipolam® Ambiance Ultra Terra



Timeless design



Our best seller



High value
for money



Top chemical and
stain resistance
on the market



Excellent surface treatment: Evercare™

Mipolam® Ambiance Ultra Luna



Trendy design



Soft and low
contrast design



Fresh colors



The favorite choice
for architects



Excellent surface treatment: Evercare™




evercare™ SURFACE TREATMENT

EXCLUSIVE PATENTED TECHNOLOGY BY GERFLOR®

THE OUTSTANDING CHEMICAL STAIN RESISTANCE SURFACE TREATMENT

evercare™ BY GERFLOR: Treatment durability




Gerflor
even thickness



100% non-porous surface
Water-repellent effect

Other treated floor covering



Competitor:
Missing treatment
and uneven
thickness




Non-treated product

EASY AND COST EFFECTIVE MAINTENANCE



100% HYGIENIC

No contamination
& bacteria
development




0% less water
and detergent
use for cleaning

USER'S BENEFITS

- Easy & cost-effective maintenance
- Stain barrier
- No wax for life
- Chemical resistance

COMPLEMENTARY RANGES ALL SOLUTIONS

- 100% SAFETY
LINEA'TOUCH handrail
- 100% PROTECTION
MuralPlus wall protection DECOCHOC combined with LINEA'punch bumper
- 100% WATERPROOF
Perfect hot-welded joint between floor and wall to reduce bacterial activity
- 100% HYGIENIC
 - Skirting and covings solutions: areas where particles or bacteria can stagnate
 - Easy to clean



FEWER VOC'S, BETTER INDOOR AIR QUALITY



INDOOR AIR QUALITY

- TVOC emissions 100 times better than norm requirements (TVOC < 10µg/m after 28 days)
- Floorscore certified
- Comply with AgBB protocol
- No formaldehyde emission



RECYCLABILITY

- 100 % recyclable product



LCA

- Eco-designed according to a product specific Life Cycle Analysis
- Manufactured in an Iso 14001
- Contribution to many Green Building Schemes (LEED, HQE, BREEAM...)
- Patented surface treatment Evercare™ to reduce drastically the use of chemical products and water and ensure the lowest environmental impact



COMPOSITION

100% REACH compliant

- FREE of formaldehyde
- FREE of heavy metals
- FREE of solvent



RECYCLED CONTENT

- 100% REACH compliant recycled content



WELLNESS

Health

- Antibacterial activity (inhibits growth > 99 %)

Comfort

- Walking comfort

Mipolam® Ambiance Ultra



Luna 0101 Nature Grey




Luna 0103 Silver Grey




Luna 0105 Oyster Grey



Luna 0114 Ice Blue




Luna 0115 Capri Blue



Luna 0116 Bubble



Luna 0107 Coral Beige



Luna 0108 Camel Beige




Luna 0109 Parchment



Luna 0117 - Matcha Green




Luna 0120 Lime Greena




Luna 0121 Buff Orange



Luna 0111 - Porcelain Beige




Luna 0112 Antique



Luna 0113 Sierra Blue



Luna 0122 Taff



Luna 0123 Bubblegum



Luna 0125 Celeste


Mipolam® Ambiance Ultra



Terra 0201 Ice Grey



Terra 0203 Steam Grey



Terra 0205 Fossil Grey



Terra 0208 Candle



Terra 0209 Cream



Terra 0221 Corn



Terra 0225 Pomeloa



Mipolam® Ambiance Ultra™ is a homogeneous pressed compacted floor covering in sheet, with non-directional design, colour dyed as a raw mixture to ensure even color throughout the thickness and a matte finish. Its surface is densely compacted for improved wear and ease of maintenance.



Mipolam Ambiance Ultra Luna
0101 Nature Grey

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

3502-B

LRV:

34.1



Mipolam Ambiance Ultra Luna
0103 Silver Grey

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

2000-N

LRV:

54.4





Mipolam Ambiance Ultra Luna
0105 Oyster Grey

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:


2m roll

NCS:

3502-R

LRV:

33.1



Mipolam Ambiance Ultra Luna
0107 Coral Beige

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:


2m roll


NCS:

3502-B

LRV:

34.1





Mipolam Ambiance Ultra Luna
0108 Camel Beige

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

3502-R

LRV:

33.1



Mipolam Ambiance Ultra Luna
0109 Parchment

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:


2m roll

NCS:

1510-Y20R

LRV:

53.5





Mipolam Ambiance Ultra Luna
0111 Porcelain Beige

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:


2m roll

NCS:

1505-Y30R

LRV:

59.9



Mipolam Ambiance Ultra Luna
0112 Antique

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll


NCS:

3005-G80Y

LRV:

39.5





Mipolam Ambiance Ultra Luna
0113 Sierra Blue

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

3030-R90B

LRV:

26.7



Mipolam Ambiance Ultra Luna
0114 Ice Blue

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll


NCS:

1515-R80B

LRV:

53.4





Mipolam Ambiance Ultra Luna
0115 Capri Blue

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

3040-R90B

LRV:

21.6



Mipolam Ambiance Ultra Luna
0116 Bubble Blue

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:


2m roll

NCS:

2030-R90B

LRV:

37.7





Mipolam Ambiance Ultra Luna
0117 Matcha Green

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

2020-G40Y

LRV:

35.8



Mipolam Ambiance Ultra Luna
0120 Lime Green

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll


NCS:

1040-G50Y

LRV:

44.8





Mipolam Ambiance Ultra Luna
0121 Buff Orange

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

1515-Y10R

LRV:

53.2



Mipolam Ambiance Ultra Luna
0122 Taffy

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll


NCS:

3020-Y30R

LRV:

35.4





Mipolam Ambiance Ultra Luna
0123 Bubblegum

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

2030-R40B

LRV:

44.6



Mipolam Ambiance Ultra Luna
0125 Celeste

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

1040-B30G

LRV:

38.4





Mipolam Ambiance Ultra Terra
0201 Ice Grey

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

1002-R50B

LRV:

69.8



Mipolam Ambiance Ultra Terra
0203 Steam Grey

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll


NCS:

2005-R70B

LRV:

53.1





Mipolam Ambiance Ultra Terra
0205 Fossil Grey

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

4502-B

LRV:

27.9



Mipolam Ambiance Ultra Terra
0208 Candle

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

4005-Y50R

LRV:

30.1





Mipolam Ambiance Ultra Terra
0209 Cream

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

1005-Y70R

LRV:

70



Mipolam Ambiance Ultra Terra
0221 Corn

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

1515-Y10R

LRV:

64.6





Mipolam Ambiance Ultra Terra
0225 Pomelo

Surface treatment :

Evercare™

Overall thickness:

2.00 mm

Installation system covering:

Glue down

Format details:

2m roll

NCS:

0530-Y

LRV:

60.6



Mipolam® Ambiance Ultra

DESCRIPTION

Mipolam® Ambiance Ultra

Total thickness	ISO 24346 (EN 428)	mm	2
Weight	ISO 23997 (EN 430)	g/m²	2750
Width / Length of sheet	ISO 24341 (EN 426)	cm / lm	200 / 20

CLASSIFICATION

Norm / Product specification	-	-	ISO 10581(EN 649)
European classification	ISO 10874 (EN 685)	class	34 - 43
Fire rating	EN 13 501-1	class	Bfl-s1
Static electrical propensity	EN 1815	KV	<2
Electrical resistance	EN 1081	Ω	>109
Slip resistance dry	EN 13893	-	≥0.3
Slip resistance wet	DIN EN 16165	class	R9

PERFORMANCES

Type binder content	ISO 10581	type	I
Dimensional stability	ISO 23999 (EN 434)	%	≤ 0.4
Castor chair test	ISO 4918 (EN 425)	-	OK
Thermal conductivity	ISO 10456 (EN 12524)	W/(m.K)	0.25
Colour fastness	ISO 105 - B02	degree	≥ 6
Chemical products resistance	ISO 26987 (EN 423)	-	OK
Surface treatment	-	-	Evercare™
Anti-bacterial activity (E. coli - S. aureus)(1)	ISO 22196	-	>99% Inhibits growth
Antiviral activity (human coronavirus 229E)	ISO 21702	-	99.7% after 2h
Color number	-	-	50

ENVIRONMENT / INDOORAIRQUALITY

TVOC after 28 days	ISO 16000 - 6	µg/m3	< 10
Certification	-	-	Floorscore®

CE MARKING

CE	EN 14041	-	
----	----------	---	--

⁽¹⁾ The implementation of an effective cleaning regime is the most important defence against infections.

MIPOLAM® AMBIANCE ULTRA is a vinyl flooring homogeneous calendared and pressed in 2m sheets, with a thickness of 2mm. The non-directional design with colour throughout the 2mm thickness.

This flooring is suitable for medium to high traffic areas, and facilitates floor-wall junctions, angles and welding treatments.

The flooring is equipped with Evercare™, patented Surface treatment obtained by UV laser cross-linking offering the best chemical resistance including alcohol, acid, alkali, surgical reagent resistance and disinfectant cleaner resistance.

According to ISO 21702, **Mipolam® Ambiance Ultra** has anti-viral activity against Human Coronaviruses : it reduces the number of virus by 99,7% after 2h.

TVOC emissions after 28 days (ISO 16000-6) are below detection levels with <10 µg / m3 and this product is classified A + (the best class).

Gerflor Don't forget our complementary ranges!



Handrails



Wall Coverings
& Protections



Entrance mats



Skirtings
& Profiles



Be connected!



#Gerflor



www.gerflor.com

we care / we act Our Commitments for a Sustainable future



**CARBON
FOOTPRINT ***

-20 % kg
CO2 equivalent/m²
between 2020 and 2025



**BIO-SOURCED
CONTENT*****

10 % by 2025



**RECYCLED
CONTENT**

30 % by 2025



**ADHESIVE
FREE****

35 % by 2025



**ANNUAL VOLUME
RECYCLED**

60 000 t by 2025

Gerflor®

GERFLOR ASIA Tel.: + 86-21-63578818