


Product Details

Product Type	Carpet Tile
Collection	Morkel
Construction	Tufted 1/10 Structured Loop
Yarn	100% Super AE Polyamide
Dye Method	Solution Dyed
Backing	PVC Reinforced Fiberglass
Product Size	50cm x 50cm
Gauge	1/10
Stitches	45 per inch
Finished Pile Thickness	4.5
Total Thickness	4mm - 6.5mm
Tufted Weight	550 gsm

Performance

Tuft Bind Strength	Passes ASTM D1335
Delamination Strength	Passes ASTM D3936
Flammability	Passes CPSC FF 1-70 / ASTM D2859
Radiant Panel Test	Passes ASTM E648 / NFPA 253
Smoke Density (Flaming & Non-Flaming)	Passes ASTM E662 / NIST
Static Propensity	Passes AATCC 134-2019
Colorfastness to Light	Passes AATCC TM16.3
Colorfastness to Crocking (Dry/Wet)	Passes AATCC TM165
Dimensional Stability	Passes ASTM D7570 / ISO 2551
Usage Classification	Passes EN 1307 – Class 33





MADE IN **UAE**

Layered Lines,
Limitless Possibilities.





13





45




13


EMOTIONAL INNOVATION
- BRANDS
- MARKETING
- RELATIONSHIPS
(viability)
EXPERIENCE INNOVATION
DESIGN THINKING
PEOPLE (desirability)
PROCESS INNOVATION
TECHNOLOGY (feasibility)





21



25 & 27

MORKEL


21


23


27


25


45


47


13


16