




A world
of colours
to energize
your sport

HETEROGENEOUS VINYL

**Multigym
450**



HETEROGENEOUS VINYL

Multigym 450



5203 079

Red



5203 078

Orange




5203 081

Soft Green

HETEROGENEOUS VINYL

Multigym 450



5203 080

Blue



5203 057

Noyer Brown



5203 047

Antik Oak Beige

HETEROGENEOUS VINYL

**Multigym
450**

Specification

Multigym 450



CERTIFICATION & CLASSIFICATION	STANDARDS	Multigym 450
Vinyl floor Covering	EN ISO 26986	
Classes of Use	EN ISO 10874	23 31

Impact Sound Absorption	EN ISO 717-2	20 dB
-------------------------	--------------	-------

TECHNICAL CHARACTERISTICS	STANDARDS	Multigym 450
Total Thickness	EN ISO 24346	4.50 mm
Wear Layer Thickness	EN ISO 24340	0.30 mm
Residual Indentation	EN ISO 24343-1	≤ 0.35
Weight	EN ISO 23997	3,000 kg/m ²
Wear Layer Binder Content	ISO 11638	Type 1
Roll Dimensions	EN ISO 24341	Roll Length : 19 m Roll Width : 4 m
Castor Chair	ISO 4918	OK

TECHNICAL PERFORMANCES	STANDARDS	Multigym 450
Slip Resistance	EN 13893 DIN 51130	μ ≥ 0.30 R10
Fire Classification	EN 13501-1	Cfl-s1
Static Electrical Propensity	EN 1815	≤ 2 kV
Chemical Resistance	EN ISO 26987	Not Affected
Dimensional Stability	EN ISO 23999	≤ 0.40%
Light Fastness	EN ISO 105 B02	≥ 6
Thermal resistance for underfloor heating	ISO 10456 - EN 12524-1	0.07 m ² /kW

The above information is subject to modification for the benefit of further improvement. (05/14).
Tarkett's instructions regarding installation, cleaning and maintenance should be observed.

