NATURALS

PREMIUM LOOSE LAY LVT



NATURALS
ROCK FINISH COLLECTION

Naturals offers a range of loose-lay vinyl planks and tiles, purpose-designed for heavy commercial interiors that demand both style and performance. Featuring authentic reproductions of natural materials, this adhesive-free, ready-to-lay flooring is engineered to significantly reduce installation time while delivering practical, design-led solutions.





OFFICES




RETAIL




HOSPITALITY

Perfectly designed to complement most carpet tile installations



Designed for easy installation on raised floors, making it an ideal solution for raised floor environments.




AZ001 CHALK CEMENT
AZ002 DOVE CEMENT



AZ003 SEPIA CEMENT



AZ004 ANTARTIC CEMENT

TECHNICAL DATA SHEET

DESCRIPTION	STANDARD	RESULT
Floor type		luxury vinyl flooring
Finish		High-density PU Coating
Installation		Glue-down
Overall Thickness	ISO 24346	5.0 mm
Thickness of Wear layer	ISO 24340	0.5 mm
Length x Width	ISO 24342	600 x 600mm
Total weight	ISO 23997	8900 g/m2
Usage Classification	ISO 10582	Class 32: Commercial/General
Residual Indentation	ISO 24343-1	Pass (≤0.07mm)
Dimensional Stability	ISO 23999-18	Pass (≤0.05%)
Effect of castor chair	ISO 4918	Pass
Wear resistance	EN 660-2	Wear Group : T
Flexibility	ISO 24344:2008 Method A	Pass
Light Fastness	ISO 105-B02:2014, Method 3	>Grade 6
Slip Resistance	DIN 51130	R10
Chemical Resistance	EN 438-2:2005 section 26	Grade 5
Reaction to Fire	EN 13501-1	Bfl-S1
Fungi Resistance test	ISO 846:1997	Intensity of growth 0
VOC Emissions	FloorScore Green Guard Gold	Certified

