



### Technical Specifications


Manufacturing Method	Gauge
Tufted	1/12"
Pile Fiber	Tuft Density
Camfin PP	210000 per sqm
Pile Type	Backing
Multi Level Scroll	PVC + Fibre Glass
Pile Height	Total Height
4-5 mm	7-8 mm
Pile Weight	Total Weight
700 gsm	5000 gsm

Packing  
 Tile size: 50x50 cm  
 Carton: 20 tiles = 5 m<sup>2</sup>

#### Installation



Quarter Turned Monolithic Jigsaw Brick



#### 5 Years Limited Warranty

Quadrotte offers a 5 year limited warranty (lifetime performing to all its PP Carpet Tiles subject to correct installation and fair usage standard. It is based on a pro rata basis. Please review the chart given below.

0 - 4 months	- 100%
7 - 12 months	- 95%
13 - 24 months	- 70%
25 - 36 months	- 50%
37 - 48 months	- 30%
49 - 60 months	- 10%

#### Commercial Wear Warranty

Quadrotte warrants that its PP carpet tile won't wear more than 11 % following installation subject to it having been installed and maintained as per the expected standards.

See full warranty text at [quadrotte.com](http://quadrotte.com)

quadrotte

opal



Actual product may differ from the images shown


opal

Actual product may differ from the images shown





3412




3442

quadrat




3425



3445


opal







3425





3442





