


# » powerturf

HIGH DENSITY TUFT: COMPATIBLE WITH LIGHT TRAINING AND HEAVY DUTY USE





fitness



functional  
training

---

### Standard colours

green




dark green



dark grey



black



red



dark red



blue



## » **MORE** FROM YOUR FLOOR

» **MORE** good reasons to choose S powerurf:



Dtex 8000



colour options



100% customisable



resilient and  
robust



slip resistance



extremely  
durable



easy installation  
and maintenance



protection of the  
joints



protection of  
substrate





powerturf 1.0 / 2.0 / 3.0

THREE DIFFERENT LAYOUTS AVAILABLE IN SEVEN STANDARD COLOURS



powerturf 1.0



powerturf 2.0



powerturf 3.0



<b>Material</b>	<b>Surface:</b> Polyethylene fibres, 100% monofilament (without infill) <b>Underside:</b> Support fabric: 100% polypropylene and latex
<b>Colours</b>	7 standard colours available
<b>Roll width</b>	2,000 mm (± 1 cm)
<b>Roll length</b>	15.0 m (± 2 cm), other lengths are available on request in 1m steps (e.g. 20.0 / 21.0 / 22.0 m)
<b>Pile height</b>	13 mm (± 10%)
<b>Area weight</b>	3.500 g/m <sup>2</sup> (± 10%)
<b>Stitch rate (10 cm<sup>2</sup>)</b>	36/10 (± 10%)






## powerturf 4.0

CREATE YOUR OWN DESIGN – FULLY CUSTOMIZABLE WITH 19 COLOURS



### powerturf 4.0




<b>Material</b>	<b>Surface:</b> Polyethylene fibres, 100% monofilament (without infill) <b>Underside:</b> Support fabric: woven polyester and latex
<b>Colours</b>	19 colours available
<b>Roll width</b>	2,000 / 4,000 mm ( $\pm 1$ cm) (other widths upon request)
<b>Roll length</b>	15.0 m ( $\pm 2$ cm), other lengths are available on request in 5m steps (e.g. 20.0 / 25.0 / 30.0 m)
<b>Pile height</b>	13 mm ( $\pm 10\%$ )
<b>Area weight</b>	2,500 g/m <sup>2</sup> ( $\pm 10\%$ )
<b>Stitch rate (10 cm<sup>1</sup>)</b>	30/10 ( $\pm 10\%$ )





## team cup X

HIGH PERFORMANCE UNDERLAY FOR POWERTURF



<b>Material</b>	A mixture of black recycling rubber granules bonded with polyurethane elastomer
<b>Roll width</b>	1,250 mm ( $\pm 1.5\%$ )
<b>Thickness</b>	8, 10, 12, and 15 mm ( $\pm 0.3$ mm)
<b>Roll length</b> [m/bei Thickness mm]	15/8, 12/10, 10/12, 8/15 ( $\pm 1.5\%$ )
<b>Tensile strength</b>	min. 0.2 N/mm <sup>2</sup> (EN ISO 1798)
<b>Elongation at break</b>	min. 35% (EN ISO 1798)

### **MORE FROM YOUR FLOOR**

- additional comfort for athletes under powerturf
- extra protection of the subfloor
- ideal impact sound insulation

**sports flooring for fitness centers  
and weight lifting areas**



Cardio



Fitness



Weight-lifting



Functional  
training



Yoga, pilates &  
rehabilitation



Aerobic

Find out more about our other fitness products in our brochure:

