

Safetred Safety Floors



FLOORCOVERINGS WITH ENHANCED SLIP RESISTANCE

VINYL



Safetred Universal Plus



- > Vinyl safety floorings, with a choice of R11 and wetroom ranges
- > Sustainable slip performance throughout product life
- > Safety Clean Polyurethane (PUR) surface protection for improved stain resistance and easy maintenance
- > Product backing made from recycled flooring for reduced environmental impact



NOT IN STOCK - AS PER ORDER ONLY AVAILABLE

Safety floors from Tarkett

for areas where enhanced slip
resistance properties are required

Why safety floorings?

Some areas might be quite sensitive to slippery surfaces and the danger of falling. The floor material installed can of course be one cause, or the cleaning agents, but also the presence of liquid or other contaminants on its surface: water, drink, grease, oils...

However, most slip and fall injuries are preventable. And the installation of floor coverings with enhanced slip resistance properties will help you reduce these risks.

For safer underfoot commercial areas

Tarkett Safety floorings with Safety Clean PUR Reinforcement are the new high performance alternative to traditional safety floors.

For more demanding areas, **Safetred Universal Plus** provides **R11** slip resistance. **Safetred Universal Plus** is the ideal solution for wet room areas.

Sustainable performance

**Excellent slip resistance
for the lifetime of the flooring**

The Safetred ranges all meet the requirements of the new manufacturing standard, EN 13845, that has set new conditions with consideration to wear resistance and the sustainability of the slip resistance properties. With the Safetred collection, you will be assured of sustainable slip resistant performance throughout the product life.

NOT IN STOCK - AS PER ORDER ONLY AVAILABLE



Areas of use

- > Hospitals
- > Retirement & care homes
- > Kitchens & canteens
- > Food preparation areas
- > Restaurants & dining areas
- > Classrooms & laboratories
- > Ramps & walkways
- > Stores & shops
- > Toilets & washrooms
- > Wet room areas (Safetred Aqua)



Modern design

Design has not been forfeited at the cost of performance. The Safetred collection is available in a large pallet of colours and designs to suit any environment. Discover the fresh plain colours of Safetred Universal or the vibrant colours enhanced with decorative granules in Spectrum. Or let yourself be drawn to the 3D decorative flake effect of Safetred Dimension or the warmth and timeless effect of Dimension Wood.

Safety Clean (PUR reinforcement): don't choose between slip resistance and easy cleaning!

Safetred products all have a Safety Clean PUR reinforcement that provides a durable and easy to clean surface. Maintenance costs are cut and the environment is preserved (less water and cleaning chemicals used).

This unique polyurethane treatment is reinforced with slip resistant granules in addition to those within the wear layer of our Safetred ranges to provide lasting performance.




- Improved resistance to soiling and staining
- Easier to clean and maintain than traditional safety floors

An incorporated biostat also brings long lasting protection.

Vinyl Floor with PUR

Vinyl Floors with Safety Clean



Tarkett Environmental Intelligence

We see our Intelligent Flooring Solutions as part of the world's ecological system – and make strong efforts to secure that all our activities are based on respect for the environment. All our flooring products are developed, produced and handled with a great concern for sustainability and environment. We call it Environmental Intelligence and live by this principle in every single step, from vision to waste.



Environmental Intelligence in our vinyl flooring

Tarkett introduced the first vinyl flooring more than 60 years ago, and environmental sustainability has always been in focus for us.

- Low energy consumption
- Easy and lowest maintenance cost ever
- Low emissions

NOT IN STOCK - AS PER ORDER ONLY AVAILABLE

Safetred Universal Plus

Safety first!

Safetred Universal is a tough durable safety flooring for use in any heavy duty application where safety underfoot is a priority, including ramps and wheel chair areas. The selection of 16 fresh shades will complement any interior colour scheme.

Safetred Universal Plus for more demanding areas

Busy commercial kitchens, food preparation areas and workshops can require a higher level of slip resistance. The answer is **Safetred Universal Plus**, available in 9 popular colours, with the added benefit of an R11 slip resistant rating.

With Safetred Universal Plus, also appreciate: R11

- > Superb performance in wet and dry conditions: Provides R11-slip resistance
- > Heavy duty safety flooring for demanding locations: where toughness and safety are paramount



NOT IN STOCK - AS PER ORDER ONLY AVAILABLE



Quasar

3820 100
3822 100




Venus

3820 110
3822 110



Orion

3820 140




Draco

3820 160



Jupiter

3820 170
3822 170



Mercury

3820 180
3822 180



Constellation

3820 190
3822 190




Moon

3820 210
3822 210



Comet

3820 240



Zodiac

3820 250



Solar

3820 260



Nebula

3820 270
3822 270



Pegasus

3820 280
3822 280



Pulsar

3820 290



Neutron

3820 300
3822 300



Triton



3820 310

3820 : Safetred Universal

3822 : Safetred Universal Plus



Not in Stock. As per order can available the material



Safetred Safety Floorings

DESCRIPTION

Slip resistant heavy duty floorcoverings with Safety Clean PUR reinforcement, in sheet format.
Product standard: EN 13845.

Technical data	Standards	Safetred Dimension/ Dimension Wood	Safetred Spectrum	Safetred Universal Plus	Safetred Universal	Safetred Aqua
Certification	EN 685 domestic commercial industrial EN 13845	Classes: 34 43 ES _f	Classes: 34 43 ES _f	Classes: 34 43 ES _f	Classes: 34 43 ES _f	Classes: 23 32 ES _b
Total thickness	EN 428	2.00 mm	2.00 mm	2.50 mm	2.00 mm	2.00 mm
Total weight	EN 430	3 000 g/m ² / 3 100 g/m ²	3 100 g/m ²	3 850 g/m ²	3 100 g/m ²	3 000 g/m ²
Safety Clean PUR Reinforcement		Yes	Yes	Yes	Yes	Yes
Abrasion	EN 660-2	< 10% particle loss	< 10% particle loss	< 10% particle loss	< 10% particle loss	< 10% particle loss
Static indentation	EN 433	< 0.10 mm	< 0.10 mm	< 0.10 mm	< 0.10 mm	< 0.10 mm
Furniture leg	EN 424	No damage	No damage	No damage	No damage	No damage
Castor chair	EN 425	No damage	No damage	No damage	No damage	No damage
Dimensional stability	EN 434	≤ 0.10%	≤ 0.10%	≤ 0.10%	≤ 0.10%	≤ 0.25%
Curl resultant to heat	EN 434	≤ 3 mm / ≤ 2 mm	≤ 1 mm	≤ 2 mm	≤ 1 mm	≤ 3 mm
Flame and smoke	EN 13501-1 ISO 9239-1 IMO A653	B _{f1} s1 with acrylic adhesive on wood > 8 kW/m ²	B _{f1} s1 with acrylic adhesive on wood > 8 kW/m ²	B _{f1} s1 with acrylic adhesive on concrete > 8 kW/m ²	B _{f1} s1 with acrylic adhesive on wood > 8 kW/m ² Pass	B _{f1} s1 with acrylic adhesive on wood > 8 kW/m ²
Slip resistance	TRRL Pendulum 4S (Wet) DIN 51130 Surface roughness DIN 51097	> 36 R10 > 20 µm	> 36 R10 > 20 µm A	> 45 R11 > 35 µm	> 36 R10 > 20 µm A	> 36 R11 > 30 µm C
Electrical resistance	EN 1815 EN 1081 EN 14041	2 kV on concrete > 10 ¹⁰ Ω	2 kV on concrete > 10 ¹⁰ Ω	2 kV on concrete Antistatic	2 kV on concrete > 10 ¹⁰ Ω	2 kV on concrete > 10 ¹⁰ Ω Antistatic
Impact sound reduction	EN ISO 140-8 EN ISO 717/2 ΔL _w	6 dB / 4 dB	7 dB	6 dB	4 dB	6 dB
Acoustic improvement	NFS 31-074 L _{n,e,w}	75 dB / 76 dB	74 dB	74 dB	75 dB	74 dB
Light fastness	EN ISO 105-B02	7	7	7	7	6
Chemical resistance	EN 423	Good resistance to everyday substances				
Anti fungi treatment		Incorporates a biostat to resist fungi and bacterial growth				
Thermal resistance Underfloor heating	EN 12524	0.01 m ² K/W Suitable	0.01 m ² K/W Suitable	0.01 m ² K/W Suitable	0.01 m ² K/W Suitable	0.01 m ² K/W Suitable
Colours		Dimension: 16 Dimension Wood: 6	20	9	16	12
Form of delivery	EN 426	Rolls: 20 lm x 2 m		Rolls: 15 lm x 2 m	Rolls: 20 lm x 2 m	

The above information is subject to modification for the benefit of further improvement (05/08).

For more detailed technical information, please contact Tarkett. Follow Tarkett's installation and maintenance instructions carefully.
These instructions are available upon request.

NOT IN STOCK - AS PER ORDER ONLY AVAILABLE

INTELLIGENT FLOORING SOLUTIONS



SYSTEM

Providing not just a product, but a complete functional solution designed to fully meet customer needs.

SERVICE

Supporting customers from first consultation to product installation, and throughout its service life.

SAVINGS

Finding materials, construction and solutions that minimise maintenance requirements, and achieve best life cycle costs.

STYLE & DESIGN

Contributing to atmosphere, state of mind and emotion, to efficiency and sense of well-being.

SUSTAINABILITY & ENVIRONMENT

Taking the lead in promoting measures to help preserve a sustainable environment.

The Tarkett Group

- Sales Offices
- Production Sites
- Recycling units



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 > **Baltic States:** Tarkett SAS – Tel. +370 37 262 220 > **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 60 95 68 38 > **Czech Republic:** Tarkett SAS, org. slozka – Tel. +420-271 001 602 > **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Hungary:** Tarkett SAS – Tel. +36 1 437-8150 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411 > **Luxembourg:** Tel. +352 949 211 8804 > **Middle East:** Tarkett Middle East – Tel. +961 1 51 3363/4 > **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 760 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Wyk[adziny Sp. z o.o. – Tel. +48 22 639 31 66 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 > **Russian Federation:** Tarkett Russia – Tel. +7 4 95 777 69 83 > **Slovakia:** Tarkett SAS – Tel. +421 37 6515 404 > **Singapore:** Tarkett Far East – Tel. +65 67 43 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • (44) 569 12 21 > **Spain:** Tarkett Floors S.L – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 > **Switzerland:** Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380380 (44) 569 12 21 > **United Kingdom:** Tarkett Ltd – Tel. +44 (0) 1622 854 040 > **North America:** Johnsonite – Tel. +1 440 543 8916 > **Tarkett Inc. USA:** Tel. +1 713 869 5811 > **Tarkett International:** Tel. +49 6233 811 755 – Tel. +33 1 41 20 41 01