

Structured Loop Carpet Tiles 50 x 50 cm






Tahiti 779 - Charcoal




Tahiti 777 - Grey



Tahiti 757 - Royal Blue




Tahiti 752 - Red



Tahiti 785 - Violet



Tahiti 748 - Brown



Tahiti 747 - Beige



Product Specification:

Style	:	ТАНІП
Construction	:	Loop Pile
Pile Fiber Composition	:	100% Olefin
Yarn Type	:	BCF
Dye Method	:	Solution Dyed
Gauge	:	1/12"
Pile Height	:	2.3 mm / 5.5 mm ± 0.25mm
Pile Weight	:	650 g/m²
Total Weight	:	4700 g/m²
Primary Backing	:	PES/PA Fleece (Non woven Textile)
Secondary Backing	:	PVC reinforced by Glass Fiber
Total Thickness	:	7.5 ± 0.5mm
Number of Tufts	:	184860/m² (Approx)
Tile Size	:	50cm x 50cm
Area of use	:	Commercial
Packing	:	20pcs/carton (5m²)

Performance Specification:

Flammability ASTM D-2859/FFI-70/16CFR

1630 Pass 8/8

Smoke Density ASTM E662 Less than 450 AATCC - 134 under 3.5 KV Static Propensity

Colour Fastness 5:5 on Gray Scale

Soiling Propensity AATCC123 Gray Scale 5

Dimensional Stablility DXN 54318 6.20



Sound Insulation



Heat Insulation



Anti-static





Suitable for Colorfast underfloor heating flammability







Brick





Quarter Turn Ashlar

Terms and Conditions: Specifications are subject to manufacturing tolerances and maybe changed without prior notice. Dye lots may vary in colour from sample and between production lots. All product purchases are subject to Teksol standard terms and conditions of sale. Please refer to our installation guideline, maintenance manual and warranty document for further clarification.

Disclaimer: This Brochure is presented for informational purposes only. Every effort is made to ensure that carpet images are of an accurate representation of the product. However, they are for illustrative purposes only and colour variations may occur in actual product, and between dye series, Please note that linear patterns when installed directional, may produce an undesired effect when lines of the same colour meet at edges. Installers need to monitor this during installation and reposition tiles where appropriate. Patterns that are random in nature may contain additional colour ways to the ones displayed on the samples. Please consult your commercial sales consultant for futher informations.