



 $<100 \mu\text{g}/\text{m}^3$ *

**Better Indoor
Air Quality**

*TVOC AT 28 DAYS

**PHTHALATE
FREE
Technology**




*except recycled content

EXCLUSIVE

260

Collection

**NEW
GENERATION
FLOORING**




Metal Style / Metallic
4m - 5636020



Zing / Metalic
4m - 5636022




Oxide / Alu
4m - 5636007




Graffity / Alu
4m - 5636034



Alphabet / Grey
4m - 5636012




Ring / Metal
4m - 5636021




Pastilles / Grey
4m - 5516068



Metallica / Grey
4m - 5516067



Onda / White
4m - 5516039




Spots / Alu
4m - 5636033




Spots / Black
4m - 5516190

Melody /Alu
4m - 5636036

Melody / Black
4m - 5516212




Hekto / Grey Black
4m - 5516022



Digital DJ / Black
4m - 5516224



Shiny /Metalic
4m - 5636014





Shiny / Black
4m - 5516165

Vinyl Collection

EXCLUSIVE 260

- › Improved indoor environment and air quality
- › Trendy designs
- › Easy installation and maintenance

- *Walking & acoustic comfort*
- *Colours for all lifestyles!*



EN 426	EN 434	ISO 105/B02	Chemical resistance	EN 1815	EN 660-2	Recyclable
4 + 3 + 2	≤ 0.40%	≥ 6	OK	≤ 2Kv	T	OK



EN 685 Class of use Residential	EN 685 Class of use Commercial	EN 428 (mm)	EN 429 (mm)	EN 430 (kg/m²)	EN 426 (m)	EN 433 (mm)	EN 13501-1	ISO 717/2	EN 425	DIN 51130	EN 12524
		ca. 2.60	ca. 0.25	ca. 1.61	ca. 30	≤ 0.35	B _s -s1	ca. 19 dB	-	R10	0.04 m² K/W

suitable for



Exclusive 260 - GRAPHIC CONCEPT - 5516 63 1301
Although the utmost care is taken, the data here given could be imprecise and liable to modifications of a technical nature. In its strive to improve its floor solutions, Tarkett reserves the right to modify their technical specifications, colours and materials at any moment and without prior notice.

