




Olympic Florida 1




collection
OLYMPIC

* Vinyl floor covering


Olympic Play 1



Olympic Play 1




Olympic Play 2



Olympic Terens 1



Olympic Capri 2




Olympic Chataulin 08



Olympic Pear Effect 1



Olympic Pear Effect 3



Olympic Monaco 1



Olympic Domino 1




Olympic Nil 3



Olympic Florida 1



Olympic Florida 2



Olympic London 1



Olympic London 2

collection OLYMPIC

* Vinyl floor covering




Wide range of designs inspired by nature provide the right solution for every taste. Olympic is a practical choice for creating attractive and comfortable living spaces.

TECHNICAL CHARACTERISTICS:

ISO 10874		Classification - residential	
ISO 24346		Total thickness	2,70 mm
ISO 24340		Wear layer thickness	0,15 mm
ISO 23997		Total weight	1,70 kg/m ²
ISO 24341		Roll width	2,5 m / 3 m / 3,5 m / 4 m
ISO 24341		Roll length	2,5/3/3,5/ 4m - 33m (15-33)
ISO 24343-1		Residual indentation	≤0,35 mm
ISO 23999		Dimensional stability	≤0,1%
EN 13501-1 EN ISO 9239-1 EN ISO 11925-2		Fire resistance	
ISO 105 B02 - Method 3		Light fastness (blue scale)	7/8
ISO 717/2		Sound absorption	19 dB
EN 12524		Floor heating suitability* *the temperature at the surface of the floor should not exceed 27°C	

PRODUCT STRUCTURE:



1. Protective layer
2. Design
3. Top compact
4. Glass fiber
5. Foam backing
6. Back print

Floor Must Be Glued
accorss whole surface, independant on installation area