

Topaz 70

Tarkett

THE ULTIMATE
FLOORING EXPERIENCE



TOPAZ 70 Antik Oak Kaolinto 5626118



TOPAZ Swan Hazel 5626116



TOPAZ Urban Oak Fallow 5626113







Topaz 70

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Heterogeneous poly(vinyl chloride) flooring on foam (ISO 11638)
Commercial classification	EN ISO 10874	34 Very Heavy
Industrial classification	EN ISO 10874	43 Heavy
Binder content	ISO 11638	Type I
Characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	2.50 mm
Wear layer thickness	ISO 24340	0.70 mm
Total weight	ISO 23997	2900 g/m²
Performance for CE Marking	**Norm**	**Tarkett Value**
UKCA - DoC certificate		0131-0022-DoC-2022-06
Declaration of Performance	EN 14041	0007-0072-DoP-2024-10
Reaction to fire	EN 13501-1	Bfl-s1
Slip resistance (EN 13893)	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance	DIN 51130	R10
Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance (m² K/W)	ISO 10456	0,030 m²•K/W
Technical Performance	**Norm**	**Tarkett Value**
Residual indentation	EN ISO 24343-1	≤ 0.10 mm
Castor chair effect	ISO 4918	No damage after 25000 cycles
Impact sound reduction - ΔLw	EN ISO 717-2	14 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor temperature maximum 27°C)
Dimensional stability	EN ISO 23999	≤ 0,10 %
Curl resistance to heat	ISO 23999	≤ 8mm
Sustainability, Environment & Indoor Air Quality	**Norm**	**Tarkett Value**
Recyclable		Yes - offcuts and post-use through ReStart® (ISO 14021)
Recycled Content (up to)		29 %
Carbon Footprint (Cradle-to-Gate, EPD Modules A1-A3)		5.95 kg CO_2e /m²
Phthalate free		Yes
TVOC emissions after 28 days	EN 16516	Gold
Formaldehyde emission		E1
EPD		Yes
Material Health Statement		Yes
SCS Floorscore		Yes
French emissions label		A+
Allergy UK Seal Of Approval		Approved
Dimensions and designs		
Roll		Roll 2x24m Roll 3 x 24 m Roll 4 x 24 m
Number of designs available		30

The above information is subject to modification for the benefit of further improvement (12/02/2026). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.