


TRON



Structured Loop Carpet Tiles
50 X 50 cm






Green 666




Blue 556



Dark Grey 676



Brown 346



Beige 046




Red 626




TRON

Specification:

| | | |
|--------------------------|---|------------------------------------|
| Construction | : | Structured Loop |
| Yarn/Fibre | : | 100% Olefin |
| Dye Method | : | Solution Dyed |
| Pile Weight | : | 700 g/m ² (+/-5%) |
| Pile Height | : | 3.00mm / 6.00mm |
| Gauge | : | 1/10TH |
| Stitches/ 10cm | : | 47.0 |
| Tile Size | : | 50 x 50cm |
| Backing | : | Glass fiber Reinforced PVC |
| Total Thickness | : | 7.5mm |
| Total Weight | : | 5.0kg/m ² (+/-5%) |
| Tuft Density | : | 185650/m ² |
| Dimensional Stability | : | DXN 54318 6.20 |
| Electrostatic Propensity | : | AATCC - 134 < 3.5KV |
| Fire Rating ISO 9239.1 | : | ECO-800 Pressure Sensitive Low VOC |
| Installation Method | : | Quarter Turn (Preferred) |



Quarter Turn



Ashilar



Sound
Insulation



Heat
Insulation



Anti-static



Colorfast



Wearproof



Anti-
flammability

Terms and Conditions: Specifications are subject to manufacturing tolerances and maybe changed without prior notice. Dye lots may vary in colour from sample and between production lots. All product purchases are subject to Messara Trading Standard Terms and Conditions of Sale. Please refer to our Installation Guideline, Maintenance Manual and Warranty Document for further clarification.

Disclaimer: This Brochure is presented for informational purposes only. Every effort is made to ensure that carpet images are of an accurate representation of the product. However, they are for illustrative purposes only and colour variations may occur in actual product, and between die series. Please note that lineal patterns when installed directional, may produce an undesired effect when lines of the same colour meet of two edges. Installers need to monitor this during installations and reposition tiles where appropriate. Patterns that are random in nature may contain additional colour ways to the ones displayed on the samples. Please consult your commercial sales consultant for further informations.

