




**Vinyl  
Skirting**




**Vinyl  
Stair/Bull  
Nosing**



## **SIT-ON SKIRTING**

(100 mm x 2 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- |                         |   |
|-------------------------|---|
| <b>Availability</b>     | : Sit-On Skirtings are available in standard height of 100 mm with thickness of 2 mm  |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)                        |
| <b>Standard Packing</b> | : 15 meters box ( in roll form )  |
| <b>Installation</b>     | : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only. |
| <b>Note</b>             | : Other colours can be produced to match customers specific colour requirement  |

## **SIT-ON SKIRTING**

(65 mm x 2 mm)


Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-on Skirting ideal for use in areas such as hospital corridors, schools etc.



- Availability** : Sit-On Skirtings are available in standard height of 65 mm with thickness of 2 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form )
- Installation** : Sit-On Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-On skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **STAIR NOZING**


One piece anti-slip PVC Stair Nozing / Stair Edging is recommended for use on escape stairs and in other light traffic areas. Typically used with resilient floorings.



- Availability** : Stair Edging or Stair Nozing are available in standard length of 1.5 meter with 3 mm thickness
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length – 50 lengths / box
- Installation** : Flexible Stair Edgings, cut to size on site are installed using suitable contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **STAIR NOZING**

One piece anti-slip PVC Stair Edging / Stair Nozing recommended for use on escape stairs and in other light traffic areas. Typically used with resilient floorings.




- |                         |  |
|-------------------------|--|
| <b>Availability</b>     | : Stair Edging or Stair Nozing are available in standard length of 1.5 meter with 3 mm thickness               |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available) |
| <b>Standard Packing</b> | : 1.5 meter length – 50 lengths / box  |
| <b>Installation</b>     | : Flexible Stair Edgings, cut to size on site are installed using suitable contact adhesive only               |
| <b>Note</b>             | : Other colours can be produced to match customers specific colour requirement                                 |


## **CAPPING SEAL**

Flexible Capping Seals are used to protect the exposed edge of the vinyl/linoleum.

Capping Seal provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Seals are normally used in conjunction with a cove former.



**RP-005**




- Availability** : Capping Seal is available in 30 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 75 meters box ( in roll form )
- Installation** : Capping seals are installed with contact adhes Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow
- Note** : Other colours can be produced to match customers specific colour requirement

## **SET IN SKIRTING**

(150 mm x 2 mm)

Flexible PVC Set-in Skirting provides an impervious seal when welded to the floorcovering. Set-in Skirtings are Ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.




- Availability** : Set-in Skirtings are available in 150 mm height with 2 mm thickness to suit vinyl, linoleum and anti-static floorcoverings.
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Packing** : 25 meters box ( in roll form)
- Installation** : Set-in Skirtings are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering
- Note** : Other thicknesses and colours can be produced to match customers specific requirement.



## **SET IN SKIRTING**

(150 mm x 3 mm)

Flexible PVC Set-in Skirting provides an impervious seal when welded to the floorcovering. Set-in Skirtings are Ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.



- Availability** : Set-in Skirting is available in 150 mm height with 3-3.2 mm thickness to suit vinyl, linoleum and anti-static floorcoverings
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Packing** : 25 meters box ( in roll form )
- Installation** : Set-in Skirtings are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering
- Note** : Other thicknesses and colours can be produced to match customers specific requirement





## **COVE FORMER**

(30 mm)

Cove formers are used to form a cove where floorcoverings are continued up the wall and provide a neat coved finish to assist floorcoverings to achieve a vertical finish.

Cove formers are normally used in conjunction with Capping Seals to finish the raw edge of the floorcovering.




- Availability** : Cover Formers are available to suit various applications.
- Standard Color** : Black (101)
- Standard Packing** : 100 meters box ( in roll form )
- Installation** : Flexible Cove Formers are installed with contact adhesive

## **FULL COVE & CAPPING SKIRTING**

(100 mm x 2 mm)

Full Cove and Capping (FCC) Skirtings provide single solution to floorcovering by replacing individual use of Capping Strip, Skirting and Cove Former.

Full Cove and Capping Skirtings are Ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.




- |                         |   |
|-------------------------|---|
| <b>Availability</b>     | : Full Cove and Cap Skirting is available in 100 mm height with 2 mm thickness.   |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)  |
| <b>Packing</b>          | : 25 meters box ( in roll form )  |
| <b>Installation</b>     | : Full Cove and Cap Skirting are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering |
| <b>Note</b>             | : Other colours can be produced to match customers specific color requirement   |

## **TILE CAP**

Tile Caps are used where ceramic wall tiles are finished against a resilient floor finish that has been dressed up the wall to form a skirting.



**RP-010**




- Availability** : Tile Cap is available in 40mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 75 meters box ( in roll form )
- Installation** : Tile Caps are installed using suitable contact adhesive
- Note** : Other colours can be produced to match customers specific color requirement

## **CAPPING STRIP**

Flexible Capping Strips are used to protect the exposed edge of the vinyl/linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.




- Availability** : Capping Strip is available in 25mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 25 meters box ( in roll form )
- Installation** : Capping Strips are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **SIT-ON SKIRTING**

(65 mm x 1.5 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-on Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Sit-On Skirtings are available in standard height of 65 mm with thickness of 1.5 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form )
- Installation** : Sit-On Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-On skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **SIT-ON SKIRTING**

(100 mm x 1.5 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Sit-On Skirtings are available in standard height of 100 mm with thickness of 1.5 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow ((more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form )
- Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement.

## **CAPPING SEAL**

Flexible Capping Seals are used to protect the exposed edge of the vinyl/ linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.




- Availability** : Capping Seal is available in 30 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 100 meters box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement



## **SIT-ON SKIRTING**

(65 mm x 3 mm))

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- |                         |   |
|-------------------------|---|
| <b>Availability</b>     | : Sit-On Skirtings are available in standard height of 65 mm with thickness of 3 mm   |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)                        |
| <b>Standard Packing</b> | : 15 meters box ( in roll form )  |
| <b>Installation</b>     | : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only. |
| <b>Note</b>             | : Other colours can be produced to match customers specific colour requirement  |

## **FLOOR TRIM**

Multi-purpose transition profile designed for joining different floor finishes of the same or slightly different heights.

The 'T' shaped profile top allows to hide slight imperfection in joints and cuts, also enables a gap between floor finishes to be incorporated during installation to allow for natural expansion in flooring materials such as ceramic and wood.




- Availability** : Floor Trims are available in 25mm width with 4mm height.
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 75 meters box ( in roll form )
- Installation** : Floor trims are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **SIT-ON SKIRTING**

(3 mm x 100 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-on Skirting ideal for use in areas such as hospital corridors, schools etc.





- Availability** : Sit-On Skirtings are available in standard height of 100 mm with thickness of 3 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form )
- Installation** : Sit-On Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-On skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **COVE FORMER** (25 mm)

Cove formers are used to form a cove where floorcoverings are continued up the wall and provide a neat coved finish to assist floorcoverings to achieve a vertical finish.

Cove formers are normally used in conjunction with Capping Strips to finish the raw edge of the floor covering.



**Availability** : Cover Formers are available to suit various applications.

**Standard Colour** : Black (101),

**Standard Packing** : 100 meters box ( in roll form )


**Installation** : Flexible Cove Formers are installed with contact adhesive only

## **COVE FORMER**

(38 mm)

Cove formers are used to form a cove where floorcoverings are continued up the wall and provide a neat coved finish to assist floorcoverings to achieve a vertical finish.

Cove formers are normally used in conjunction with Capping Strips to finish the raw edge of the floor covering.



**Availability** : Cover Formers are available to suit various applications.

**Standard Colours** : Black (101


**Standard Packing** : 100 meters box ( in roll form )

**Installation** : Flexible Cove Formers are installed with contact adhesive only

## **CAPPING STRIP**

Flexible Capping Strips or Capping Seals are used to protect the exposed edge of the vinyl/linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.




(more than 200 color shades available)

- Availability** : Capping Strip is available in 20 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 100 meters box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **CAPPING STRIP**

Flexible Capping Strip to accommodate 2.5 mm vinyl/linoleum is used to protect the exposed edge of the linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.



- Availability** : Capping Strip or Capping Seal is available in 25 mm width
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 100 meters box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement





## **COVE FORMER**

(30 mm)

Cove formers are used to form a cove where floorcoverings are continued up the wall and provide a neat coved finish to assist floorcoverings to achieve a vertical finish.

Cove formers are normally used in conjunction with Capping Strips to finish the raw edge of the floor covering.



**Availability** : Cover Formers are available to suit various applications.

**Standard Colour** : Black (101)

**Standard Packing** : 100 meters box ( in roll form )


**Installation** : Flexible Cove Formers are installed with contact adhesive only

## **FULL COVE & CAPPING SKIRTING**

(100 mm x 2 mm)

Full Cove and Capping (FCC) Skirtings provide single solution to floorcovering by replacing individual use of Capping Strip, Skirting and Cove Former.

Full Cove and Capping Skirtings are Ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.



- |                         |   |
|-------------------------|---|
| <b>Availability</b>     | : Full Cove and Cap Skirting is available in 100 mm height with 2 mm thickness.   |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)  |
| <b>Packing</b>          | : 25 meters box ( in roll form )  |
| <b>Installation</b>     | : Full Cove and Cap Skirting are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering |
| <b>Note</b>             | : Other colours can be produced to match customers specific color requirement   |


## **CAPPING SEALS**

Flexible Capping Seals are used to protect the exposed edge of the vinyl/linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.



**RP-024**




- Availability** : Capping Seal is available in 20 mm height
- Standard Colours** : Black, Brown, Beige, Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 100 meters box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **CAPPING STRIP**

Flexible Capping Strips or Capping Seals are used to protect the exposed edge of the vinyl/linoleum.


Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.



- Availability** : Capping Strip is available in 25 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 100 meters box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **STAIR NOZING**

One piece anti-slip PVC Stair Edging / Stair Nozing recommended for use on escape stairs and in other light traffic areas. Typically used with resilient floorings.



- Availability** : Stair Edging or Stair Nozing are available in standard length of 1.5 meter with 3 mm thickness
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length – 100 lengths per box
- Installation** : Flexible Stair Edgings, cut to size on site are installed using suitable contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement


## **CAPPING SEAL**

Flexible Capping Seals are used to protect the exposed edge of the vinyl/ linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.




**RP-027**



- Availability** : Capping Seal is available in 27 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow(more than 200 colour shades available)
- Standard Packing** : 100 meters box ( in roll form )
- Installation** : Capping Seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **DOOR MAT PROFILE**

Door Mat Profile is used to protect the exposed edge of mat or carpet on the entrance of hotels, hospitals, offices and shopping malls.




- Availability** : Door Mat Profile is available in 60 mm width
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 50 meters box ( in roll form )
- Installation** : Door Mat Seal is installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement



## **CAPPING STRIP**

Flexible Capping Strips are used to protect the exposed edge of the vinyl/linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.




- Availability** : Capping Strip is available in 35 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **SIT-ON SKIRTING**

(200 mm x 2 mm)


Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.



- Availability** : Sit-On Skirtings are available in standard height of 200 mm with thickness of 2 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form )
- Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **SKIRTING**

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.



### **Availability**

Skirtings available in standard height of 112 mm with thickness of 2-5 mm

**Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)

**Standard Packing** : 1.5 meters length


**Installation** : Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.

**Note** : Other colours can be produced to match customers specific colour requirement

## **SIT-ON SKIRTING**

(120 mm x 2 mm )

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Sit-On Skirtings are available in standard height of 120 mm with thickness of 2 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form )
- Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **SKIRTING**

(130 mm x 8 mm)

This type of Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Skirting is available in standard height of 130 mm with thickness of 8 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meters length
- Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **FULL COVE & CAPPING SKIRTING**

(150 mm x 2 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Full Cove & Cap Skirtings are available in standard height of 150 mm with thickness of 2 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form)
- Installation** : Full Cove & Capping Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **SIT ON SKIRTING**

(100 mm x 2 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Sit-On Skirtings are available in standard height of 100 mm with thickness of 2 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form)
- Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **SIT ON SKIRTING**

(80 mm x 2 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Sit-On Skirtings are available in standard height of 80 mm with thickness of 2 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form )
- Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement



## **CAPPING STRIP**

Flexible Capping Strips or Capping Seals are used to protect the exposed edge of the linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.




- Availability** : Capping Strip is available in 20 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 100 meters box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **SIT ON SKIRTING**

(75 mm x 2 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.



- Availability** : Sit-On Skirtings are available in standard height of 75 mm with thickness of 2 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 15 meters box ( in roll form )
- Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement


## **CAPPING SEAL**

Flexible Capping Seals are used to protect the exposed edge of the vinyl/linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.



**RP-039**





- Availability** : Capping Seal is available in 40 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 75 meters box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **COVE FORMER** (20 mm)

Cove formers are used to form a cove where floorcoverings are continued up the wall and provide a neat coved finish to assist floorcoverings to achieve a vertical finish.

Cove formers are normally used in conjunction with Capping Strips to finish the raw edge of the floorcovering.



**Availability** : Cover Formers are available to suit various applications.

**Standard Colours** : Black (101)



**Standard Packing** : 100 meters box ( in roll form )

**Installation** : Flexible Cove Formers are installed with contact adhesive only

## **COVE FORMER** (25 mm)

Cove formers are used to form a cove where floorcoverings are continued up the wall and provide a neat coved finish to assist floorcoverings to achieve a vertical finish.

Cove formers are normally used in conjunction with Capping Strips to finish the raw edge of the floorcovering.



**Availability** : Cover Formers are available to suit various applications.

**Standard Colours** : Black (101)



**Standard Packing** : 100 meters box ( in roll form )

**Installation** : Flexible Cove Formers are installed with contact adhesive only

## **COVE FORMER** (30 mm)

Cove formers are used to form a cove where floorcoverings are continued up the wall and provide a neat coved finish to assist floorcoverings to achieve a vertical finish.

Cove formers are normally used in conjunction with Capping Strips to finish the raw edge of the floorcovering.



**Availability** : Cover Formers are available to suit various applications.

**Standard Colours** : Black (101)


**Standard Packing** : 100 meters box ( in roll form )

**Installation** : Flexible Cove Formers are installed with contact adhesive only

## **SIT ON SKIRTING**

(150 mm x 2 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- |                         |   |
|-------------------------|---|
| <b>Availability</b>     | : Sit-On Skirtings are available in standard height of 150 mm with thickness of 2 mm  |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)                        |
| <b>Standard Packing</b> | : 15 meters box ( in roll form )  |
| <b>Installation</b>     | : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only. |
| <b>Note</b>             | : Other colours can be produced to match customers specific colour requirement  |

## **CAPPING SEAL**

Flexible Capping Seals are used to protect the exposed edge of the linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.




- Availability** : Capping Strip or Capping Seal is available in 40 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 50 meters box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement.



## **SKIRTING**

(100 mm x 8 mm)

Flexible Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : This type of Skirtings is available in standard height of 100 mm with thickness of 8 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 Meters length
- Installation** : Such type of Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **SKIRTING**

(100 mm x 10 mm)

This type of Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Skirtings are available in standard height of 100 mm with thickness of 10 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 Meters length
- Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **SKIRTING**

(150 mm x 6.5 mm)

This type of Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.



**Availability** : This type of Skirtings is available in standard height of 150 mm with thickness of 6.5 mm

**Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)

**Standard Packing** : 1.5 meters length


**Installation** : Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.

**Note** : Other colours can be produced to match customers specific colour requirement

## **CAPPING SEAL**

Flexible Capping Seals are used to protect the exposed edge of the vinyl /linoleum.


Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.



- Availability** : Capping Seal is available in 35 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow(more than 200 colour shades available)
- Standard Packing** : 75 meters per box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement.

## **STAIR NOZING**

One piece anti-slip PVC Stair Nozing / Stair Edging recommended for use on escape stairs and in other light traffic areas. Typically used with resilient floorings.




- Availability** : Stair Edging or Stair Nozing are available in standard length of 1.5 meter with 3 mm thickness
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length – 50 lengths / box
- Installation** : Flexible Stair Edgings, cut to size on site are installed using suitable contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **SIT ON SKIRTING**

(100 mm x 3 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.





- |                         |   |
|-------------------------|---|
| <b>Availability</b>     | : Sit-On Skirtings are available in standard height of 100 mm with thickness of 3 mm  |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)                        |
| <b>Standard Packing</b> | : 15 meters box ( in roll form )  |
| <b>Installation</b>     | : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only. |
| <b>Note</b>             | : Other colours can be produced to match customers specific colour requirement  |

## **SET IN SKIRTING**

(100 mm x 2 mm)

Flexible PVC Set-in Skirting provides an impervious seal when welded to the floorcovering. Set-in Skirtings are Ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.




- Availability** : Set-in Skirtings are available in 100 mm height with 2 mm thickness to suit vinyl, linoleum and anti-static floorcoverings.
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Packing** : 25 meters per box ( in roll form )
- Installation** : Set-in Skirtings are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering
- Note** : Other thicknesses and colours can be produced to match customers specific requirement.

## **SKIRTING**

(110 mm x 3.2 mm)

This type of Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Skirting is available in standard height of 110 mm with thickness of 3.2 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length
- Installation** : Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement



## **SKIRTING**

(80 mm x 9.5 mm)

This type of Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.




- Availability** : Skirting is available in standard height of 80 mm with thickness of 9.5 mm
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length
- Installation** : Skirting is bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.
- Note** : Other colours can be produced to match customers specific colour requirement

## **CAPPING STRIP**

Flexible Capping Strips are used to protect the exposed edge of the vinyl/linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.





- Availability** : Capping Strip is available in 30 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 100 meters box ( in roll form )
- Installation** : Capping Strips are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **CAPPING STRIP**

Flexible Capping Strips are used to protect the exposed edge of the vinyl/linoleum.

Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.




- Availability** : Capping Strip is available in 40 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **FULL COVE & CAPPING SKIRTING**

(100 mm x 3 mm)

Full Cove and Capping (FCC) Skirtings provide single solution to floor covering by replacing individual use of Capping Strip, Skirting and Cove Former.



Full Cove and Capping Skirtings are Ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.



- |                         |   |
|-------------------------|---|
| <b>Availability</b>     | : Full Cove and Cap Skirting is available in 100 mm height with 3 mm thickness.   |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)  |
| <b>Packing</b>          | : 25 meters box ( in roll form )  |
| <b>Installation</b>     | : Full Cove and Cap Skirting are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering |
| <b>Note</b>             | : Other colours can be produced to match customers specific color requirement   |

## **STAIR NOZING**


One piece anti-slip PVC Stair Nozing / Stair Edging recommended for use on escape stairs and in other light traffic areas. Typically used with resilient floorings.



- Availability** : Stair Edging or Stair Nozing are available in standard length of 1.5 meter with 3 mm thickness
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length – 50 lengths / box
- Installation** : Flexible Stair Edgings, cut to size on site are installed using suitable contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **TILE CAP**

Tile Caps are used where ceramic wall tiles are finished against a resilient floor finish that has been dressed up the wall to form a skirting.





- Availability** : Tile Cap is available in 40mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 75 meters box ( in roll form )
- Installation** : Tile Caps are installed using suitable contact adhesive
- Note** : Other colours can be produced to match customers specific color requirement

## **SIT ON SKIRTING**

(150 mm x 2 mm)

Sit-on Skirting provides an impervious seal when bonded to the floorcovering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.



**Availability** : Sit-On Skirtings are available in standard height of 150 mm with thickness of 2 mm

**Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)


**Standard Packing** : 15 meters box ( in roll form )

**Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.

**Note** : Other colours can be produced to match customers specific colour requirement

## **SKIRTING**

Skirting provides an impervious seal when bonded to the floor covering.  
Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.



### **Availability**

Skirtings available in standard height of 10 mm

**Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)

**Standard Packing** : 1.5 meters length

**Installation** : Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.


**Note** : Other colours can be produced to match customers specific colour requirement



## **SIT ON SKIRTING**

(100 mm x 2 mm)

Sit-on Skirting provides an impervious seal when bonded to the floor covering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.



**Availability** : Sit-On Skirtings are available in standard height of 100 mm with thickness of 2 mm

**Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)

**Standard Packing** : 15 meters box ( in roll form )


**Installation** : Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.

**Note** : Other colours can be produced to match customers specific colour requirement

## **CAPPING SEAL**

Flexible Capping Seals are used to protect the exposed edge of the vinyl /linoleum.



Capping Strips provide a decorative, neat edge when resilient floor coverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.



- Availability** : Capping Seal is available in 40 mm height
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow(more than 200 colour shades available)
- Standard Packing** : 75 meters per box ( in roll form )
- Installation** : Capping seals are installed with contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement.

## **STAIR NOZING**

One piece anti-slip PVC Stair Nozing / Stair Edging recommended for use on escape stairs and in other light traffic areas. Typically used with resilient floorings.





- Availability** : Stair Edging or Stair Nozing are available in standard length of 1.5 meter with 3 mm thickness
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length – 50 lengths / box
- Installation** : Flexible Stair Edgings, cut to size on site are installed using suitable contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement

## **SKIRTING**

(100 mm x 3 mm)

This type of Skirting provides an impervious seal when bonded to the floor covering. Flexible PVC Sit-On Skirting ideal for use in areas such as hospital corridors, schools etc.



**Availability** : Skirting is available in standard height of 100 mm with thickness of 3 mm

**Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)

**Standard Packing** : 1.5 meter length

**Installation** : Skirting is bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.


**Note** : Other colours can be produced to match customers specific colour requirement

## **FULL COVE & CAPPING SKIRTING**

(100 mm x 2 mm)

Full Cove and Capping (FCC) Skirtings provide single solution to floor covering by replacing individual use of Capping Strip, Skirting and Cove Former.

Full Cove and Capping Skirtings are Ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.




- |                         |   |
|-------------------------|---|
| <b>Availability</b>     | : Full Cove and Cap Skirting is available in 100 mm height with 2 mm thickness.   |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)  |
| <b>Packing</b>          | : 25 meters box ( in roll form )  |
| <b>Installation</b>     | : Full Cove and Cap Skirting are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering |
| <b>Note</b>             | : Other colours can be produced to match customers specific color requirement   |

## **FULL COVE & CAPPING SKIRTING**

(100 mm x 2 mm)

Full Cove and Capping (FCC) Skirtings provide single solution to floor covering by replacing individual use of Capping Strip, Skirting and Cove Former.

Full Cove and Capping Skirtings are Ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.





- |                         |   |
|-------------------------|---|
| <b>Availability</b>     | : Full Cove and Cap Skirting is available in 100 mm height with 2 mm thickness.   |
| <b>Standard Colours</b> | : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)  |
| <b>Packing</b>          | : 25 meters box ( in roll form )  |
| <b>Installation</b>     | : Full Cove and Cap Skirting are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering |
| <b>Note</b>             | : Other colours can be produced to match customers specific color requirement   |

## **COVE FORMER**

(50 mm)

Cove formers are used to form a cove where floor coverings are continued up the wall and provide a neat coved finish to assist floor coverings to achieve a vertical finish.

Cove formers are normally used in conjunction with Capping Strips to finish the raw edge of the floor covering.



**Availability** : Cover Formers are available to suit various applications.

**Standard Colour** : Black (101)



**Standard Packing** : 100 meters box ( in roll form )

**Installation** : Flexible Cove Formers are installed with contact adhesive only

## **COVE FORMER**

Cove formers are used to form a cove where floorcoverings are continued up the wall and provide a neat coved finish to assist floorcoverings to achieve a vertical finish.

Cove formers are normally used in conjunction with Capping Strips to finish the raw edge of the floor covering.



**Availability** : Cover Formers are available to suit various applications.

**Standard Colour** : Black (101),



**Standard Packing** : 100 meters box ( in roll form )

**Installation** : Flexible Cove Formers are installed with contact adhesive only



## **STAIR NOZING**

One piece anti-slip PVC Stair Nozing / Stair Edging recommended for use on escape stairs and in other light traffic areas. Typically used with resilient floorings.



- Availability** : Stair Edging or Stair Nozing are available in standard length of 1.5 meter with 3 mm thickness
- Standard Colours** : Black, Brown, Beige, , Blue, Grey, Green, Orange, Red, White, Yellow (more than 200 colour shades available)
- Standard Packing** : 1.5 meter length – 50 lengths / box
- Installation** : Flexible Stair Edgings, cut to size on site are installed using suitable contact adhesive only
- Note** : Other colours can be produced to match customers specific colour requirement