



ZF LVT STANDARD



VL-50 ESPRESSO



Plank Size: 1220mm x 180mm x 4mm



VL-51 ALMOND



Plank Size: 1220mm x 180mm x 4mm



VL-52 BISCUIT



Plank Size: 1220mm x 180mm x 4mm



VL-53 DESERT



Plank Size: 1220mm x 180mm x 4mm



VL-54 GREIGE



Plank Size: 1220mm x 180mm x 4mm



VL-56 SMOKEY




Plank Size: 1220mm x 180mm x 4mm



VL-57 CONCRETE



Plank Size: 615mm x 304mm x 4mm



VL-58 STEEL



Plank Size: 615mm x 304mm x 4mm



VL-59 SLATE



Plank Size: 615mm x 304mm x 4mm



VL-55 WINTER



Plank Size: 1220mm x 180mm x 4mm

LUXURY VINYL TILES

LVT (Luxury Vinyl Tile) is an innovative, updated version of vinyl flooring and we are stocking a wide range of options for your selection. Its realistic designs mimic the look of real wood, ceramic, or stone flooring while still being affordable.

This increasingly popular option is also hard-wearing, scratch-resistant, and waterproof, making it a top contender for any room in a home or commercial space. LVT flooring consists of multiple thin layers of vinyl that offer flexibility, durability, and low maintenance.



OUR COLLECTION

VL-50 ESPRESSO



VL-55 WINTER



VL-51 ALMOND



VL-56 SMOKEY



VL-52 BISCUIT



VL-57 CONCRETE



VL-53 DESERT



VL-58 STEEL



VL-54 GREIGE



VL-59 SLATE



Specifications

Type & Composition	Luxury Vinyl Tiles		* In Stock
Application	Heavy Commercial		
Surface Treatment	UV Coating		
Profile	Microbeveled		
Plank Size	EN 427	180 x 1220/615 x 304 mm	
Total Thickness	EN 428	4 mm	
Wear Layer Thickness	EN 429	0.3 mm	
Fire Rating	EN 13501-1	Bfl - S1	
Heat Stability	KSM 3802	0.3mm / 0.01 (80°C + 2°C, 6hr / hr)	
Slip Resistance	BS 7976-2	Pendulum Test: Low	
		RZ Surface Roughness: Moderate	
Residual Indentation	EN 433	≤0.10mm	
Color Fastness	ISO 105-B02	≥6	
Dimensional Stability	EN 434	≤0.25%	
Flexibility	EN 435	No crack was found	
Electrical Behavior	EN 1815	Pass	
	EN 14041		

Luxury Vinyl Tiles Layers

